

TITLE III: Land Use Code and Regulations

Chapter V: Subdivision Regulations

Adopted June 13, 1995

Amended March 26, 1996

Amended February 9, 1999

Amended October 12, 1999

Amended May 23, 2000

Amended August 14, 2001

Amended September 13, 2005

Amended April 13, 2010

Amended October 11, 2011



TABLE OF CONTENTS

<u>SECTION 1.00: GENERAL PROVISIONS.</u>	3
1.01 PURPOSE.	4
1.02 AUTHORITY.	4
1.03 DEFINITIONS.	4
1.04 COMMUNICATIONS BETWEEN TOWN AND APPLICANT.	6
1.05 APPLICABILITY.	6
1.06 ABOUT TOWN REGULATIONS.	7
1.07 GENERAL GUIDANCE.	8
<u>SECTION 2.00: APPLICATION PROCESS.</u>	10
2.01 PRELIMINARY CONCEPTUAL CONSULTATION.	10
2.02 DESIGN REVIEW.	10
2.03 BOUNDARY LINE ADJUSTMENT.	10
2.04 MINOR SUBDIVISION.	11
2.05 MAJOR SUBDIVISION.	12
2.06 FEES.	13
2.07 COMPLETE APPLICATION.	14
2.08 SUBMITTAL OF APPLICATION MATERIALS.	14
2.09 APPLICATION FOR OTHER PERMITS/APPROVALS.	14
2.10 PUBLIC NOTICE.	14
2.11 REGIONAL NOTICE.	15
2.12 APPLICATION ACCEPTANCE.	16
2.13 APPLICANT'S PRESENTATION.	16
2.14 PUBLIC HEARING.	16
2.15 DELIBERATION.	16
2.16 INTERMEDIATE DECISIONS.	16
2.17 DECISION.	18
2.18 NOTICE OF DECISION.	18
2.19 APPEALS.	19
2.20 REVOCATION OF APPROVAL.	19
<u>SECTION 3.00: DESIGN STANDARDS.</u>	19
3.01 CHARACTER OF THE LAND.	19
3.02 ROADS.	20
3.03 STORMWATER MANAGEMENT	26
3.04 PEDESTRIAN, BICYCLE AND TRANSIT AMENITIES.	30
3.05 SURVEY MONUMENTATION.	31
3.06 WATER SUPPLY.	31
3.07 SEWAGE DISPOSAL.	31
3.08 UTILITIES.	32
3.09 LANDSCAPING.	32
3.10 EMERGENCY SERVICES.	32
3.11 RECREATIONAL AMENITIES.	33
3.12 MITIGATION OF IMPACTS.	34
3.13 FLOODPLAIN MANAGEMENT	34
3.14 RESIDENTIAL OPEN SPACE DESIGN.	35
<u>SECTION 4.00: PLAT STANDARDS.</u>	45
4.01 SIZE	45
4.02 MATERIAL AND NUMBER OF COPIES	45
4.03 BASIC INFORMATION.	45

4.04	BOUNDARY SURVEY PLANS.	45
4.05	ENGINEERING PLANS.	45
4.06	APPROVAL SHEET(S).	45
4.07	MULTIPLE SHEETS.	46
4.08	SCALE.	46
4.09	AREA OF COVERAGE.	46
4.10	SITE INFORMATION.	46
<u>SECTION 5.00: ADMINISTRATION.</u>		49
5.01	WAIVERS OR SUBSTITUTIONS.	49
5.02	TECHNICAL ASSISTANCE.	49
5.03	RECORDING APPROVED PLANS.	50
5.04	FINANCIAL SECURITIES.	50
5.05	APPROVAL REQUIRED.	50
5.06	AS-BUILT PLANS.	50
5.07	ENFORCEMENT.	51
5.08	INSPECTIONS.	51
5.09	COMPLIANCE WITH OTHER CODES.	52
5.10	SAVING CLAUSE.	52

SECTION 1.00: GENERAL PROVISIONS.

1.01 PURPOSE. The general purpose of this Regulation is to protect the public health, safety, convenience, prosperity and general welfare of the Town, consistent with the policies of the Master Plan, as lots are divided, new land use patterns are established, and new roads and other infrastructure are built. Throughout this Regulation, the Board seeks to balance the process of growth, development and change with the need to protect and enhance those qualities, which make Newmarket a safe and desirable place to live, work and visit. In keeping with this general purpose, the following are specific objectives:

- (A) Provide against such scattered or premature subdivision of land as would involve danger or injury to health, safety, or prosperity by reason of the lack of water supply, drainage, transportation, schools, fire protection, or other public services, or necessitate the excessive expenditure of public funds for the supply of such services;
- (B) Provide for the harmonious development and redevelopment of the Town and its environs;
- (C) Provide adequate and coordinated open space, neighborhood parks, and other recreation areas with adequate public access;
- (D) Provide for proper spacing and patterns of properties and buildings to ensure adequate sunlight and air circulation, access for firefighting apparatus and equipment to buildings, and establishment of land use patterns compatible with traditional New England design, especially in new residential neighborhoods;
- (E) Ensure that land is of sufficient character to be used for building purposes without danger to health, and additionally ensuring that development does not exceed the capability of the land to safely provide on-site water supply and sewage disposal in areas not served by municipal water and sewer systems;
- (F) Facilitate adequate provision of public facilities, utilities and services; and
- (G) Require proper arrangement, design, and construction of streets, sidewalks, pedestrian and bicycle paths, and other transportation improvements to compose a safe, convenient and environmentally compatible system of vehicular and pedestrian travel which integrates with the overall Town and regional systems.

1.02 AUTHORITY. Under authority of RSA 764:35 and authorization from Town Meeting, as amended, the Planning Board repeals the previous Subdivision Regulations and hereby adopts this new Regulation on June 13, 1995.

1.03 DEFINITIONS. Definitions shall be those provided in the Newmarket Zoning Ordinance adopted February 14, 1996, in Zoning Ordinance §1.11, and the additional definitions as follows:

Best Management Practices (BMP): As outlined in the NHDES Stormwater Manual, (Vols. 1-3), published in Dec. 2008 or as amended, Best Management Practices are generally considered to be the most effective and practical means of preventing soil erosion and/or controlling peak flow rates as well as minimizing pollutant loads and runoff volumes

generated from site development. These may include both structural and non-structural measures associated with site development.

Bioretention Area: Also often referred to as a Rain Garden, consists of a shallow, landscaped depression that receives runoff from impervious surfaces and allows the initial “first-flush” of runoff (typically first 1-inch of runoff) to infiltrate into native soils or an engineered soil matrix for water quality treatment. These areas are generally planted with a mix of native grasses, sedges and shrubs.

Boundary Line Adjustment. 1) The alteration of lot boundaries between two or more adjoining lots which does not increase the number of lots. 2) The creation of a different form or division of ownership of an existing property, which does not require physical changes.

Disturbance: Any activity that involves altering the existing terrain which includes clearing and grubbing, grading and adding impervious area that will change the runoff flow and volume from an existing site.

Impervious Surface: Any surface that cannot effectively infiltrate rainfall including, but not limited to, surfaces such as building rooftops, pavement, sidewalks, driveways and compacted gravel (e.g. driveways and parking lots).

Low Impact Development (LID): Low impact development is a site planning and design strategy intended to maintain or replicate predevelopment hydrology through the use of site planning, source control, and small scale practices integrated throughout the site to capture and infiltrate runoff as close to its source as possible. Where existing soils limit the natural infiltration potential, LID strategies may include, but not be limited to, preserving existing wooded buffer areas, use of cisterns to capture and reuse stormwater or the use of roof gardens to minimize the generation of roof runoff.

Major Subdivision. 1) The division of a lot into a greater number of lots, but which does not fit the definition of a Minor Subdivision. 2) An increase in the number of residential units on a single lot, but which does not fit the definition of a Minor Subdivision.

Maximum Extent Practicable (MEP): To show that a proposed development has met a standard to the maximum extent practicable, the applicant must demonstrate the following: (1) all reasonable efforts have been made to meet the standard, (2) a complete evaluation of all possible management measures has been performed, and (3) if full compliance cannot be achieved, the highest practicable level of management is being implemented.

Minor Subdivision. 1) The division of a lot into a greater number of lots, provided that: no new road is required; that there is no potential for a road to be required for the full development of any remaining developable portion of the land; and that the resulting number of lots does not exceed six. 2) An increase in the number of residential units on a single lot, provided that the total proposed number of such units does not exceed six.

Subdivision. Division of a lot into two or more lots, plats, sites, or other divisions of land for the purpose, whether immediate or future, of sale, rent, lease, condominium conveyance or building development. It includes re-subdivision and, where appropriate to the context, relates to the process of subdividing or to the land or territory subdivided. The division of a parcel of

land held in common and subsequently divided into parts among several owners shall be deemed a subdivision. The granting of an easement in gross for public utilities shall not be deemed a subdivision.

1.04 COMMUNICATIONS BETWEEN TOWN AND APPLICANT. There are many people involved in the processing of each application, and communication problems develop quickly if great care is not taken from the start. To prevent communication problems from developing, it is important for both the Town and the applicant to designate one person each to coordinate all communications. This prevents repetition of questions, prevents two people from giving different answers to the same question, and should help to keep interpretation consistent.

- (A) Applicant's Authorized Representative. The application form requires designation of one person to act as the "authorized representative." All communication to the applicant shall be made through this person, and this person shall be present at all meetings with the Board. In the text of this Regulations, references to the applicant shall also imply the authorized representative.
- (B) Town.
 - (1) All communications to the Town shall be directed to the Planning Board Secretary unless otherwise directed by the Chairman of the Board. This may be common during larger applications, such as when an engineer reviewing the road design needs to talk to the design engineer to clarify issues.
 - (2) Individual Board members shall not discuss the application with the applicant, abutters, or any other person associated or affected by the application except at the Board meetings, which may include formal site visits with the applicant. Otherwise, all questions should be directed to the Planning Board Secretary. This procedure is essential to ensure that all Board members and the public receive the same information about the application, and that all Board members are therefore equally able to render the best decision possible.

1.05 APPLICABILITY. These Regulations cover the following types of activities:

- (A) Lot Consolidation. Pursuant to RSA 674:39-a, the combination of two or more lots under common ownership to form a single lot requires that the Board approve, sign and record at the Rockingham County Registry of Deeds a Notice of Merger. A copy shall also be provided to the Town Assessor. The Board shall approve the merger so long as it does not create (or worsen existing) violation(s) of the land use codes. To obtain the Board's approval, this item must be placed on the agenda of a regular meeting of the Board. No public hearing or abutter notice is required. All costs shall be paid by the lot owner.
- (B) Subdivisions. This Regulation provides for three different types of applications, each with its own specific requirements:
 - (1) Boundary Line Adjustment. The alteration of lot boundaries between two or more adjoining lots which does not increase the number of lots; or the creation of a different form or division of ownership of an existing property, which

does not require physical changes. Further information and instructions are provided in §2.03.

- (2) Minor Subdivision. This can be either of two types of proposal. First, the division of a lot into a greater number of lots, provided that: no new road is required; that there is no potential for a road to be required for the full development of any remaining developable portion of land within the original lot; and that the resulting number of lots does not exceed six. Second, an increase in the number of residential units on a single lot, provided that the total proposed number of such units does not exceed six. Further information and instructions are provided in §2.04.
- (3) Major Subdivision. This can be either of two types of proposal. First, the division of a lot into a greater number of lots, but which does not fit the definition of a Minor Subdivision. Second, an increase in the number of residential units on a single lot, but which does not fit the definition of a Minor Subdivision. Further information and instructions are provided in §2.05.

1.06 ABOUT TOWN REGULATIONS.

- (A) Related Town Codes. The Town of Newmarket has other regulations, which may affect an application, as follows:

Chapter I:	Planning Board Bylaws
Chapter II:	Conservation Commission Bylaws
Chapter III:	Zoning Board of Adjustment Bylaws
Chapter IV:	Zoning Ordinance
Chapter V:	Subdivision Regulations
Chapter VI:	Site Plan Review Regulations
Chapter VII:	Excavation Regulations

- (B) Organization and Cross-references. To fully understand this code, it is important to understand how this Regulation is organized and cross-referenced.

- (1) Organization of this Regulation.

- (a) Sections. This Regulation is divided into six Sections. Each Section is simply a grouping of related issues or requirements, and readers should identify the article in which an answer is likely to be found. The six sections are:

- §1.00 General Provisions.
- §2.00 Application Procedures.
- §3.00 Design Standards.
- §4.00 Plat Standards.
- §5.00 Administration.
- §6.00 Application Forms and Checklists.

(b) Sub-sections. Each Section is divided into sub-sections, each of which may be further divided as needed. It is easiest to use the **Table of Contents** to locate the major sub-sections.

(2) Cross-referencing System. Within this Regulation, there are many references to other Sections of this code. These cross-references are provided to help the reader find needed information, and to inform the reader of related provisions. The reference for this General Provisions Section is written as follows:

§1.00

The symbol "\$" means section. In all cases, the information following the "\$" starts with the Section, then the sub-sections in descending order. The reference for this subsection is written as follows:

§1.06(B)(2)

The number to the left of the decimal point refers to the Section, the number following the decimal point is the sub-section, and so forth. Additional levels of hierarchy would be shown as follows:

§1.01(B)(3)(c)[2][e]

The reader should note that only the first letter is capitalized, and that the rounded parentheses are used before the square parentheses. Also, the text of each level is indented farther than the previous level.

(C) The term "shall" requires a mandatory action in all cases, while "should" implies that the action is appropriate in most cases. The Board is responsible for deciding, on a case-by-case basis, how to apply the "should" provisions.

(D) State Laws. State laws are referenced frequently in this Regulation. In New Hampshire, State laws are known as Revised Statutes Annotated, which is abbreviated as, "RSA," and are followed by the appropriate chapter and section references.

1.07 GENERAL GUIDANCE. The following advice is offered to assist the applicant, especially if the applicant is unfamiliar with land development processes.

(A) All applicants will need to hire professionals to prepare part or all of the application. In all cases, a NH Licensed Land Surveyor is required. In some cases, other specialists will be needed, possibly including a licensed Professional Engineer, an attorney, a soil scientist, or others. While such assistance does cost money, their skills and abilities are essential to ensure that the Town and applicant have sound information on which to base their decisions.

(B) The Board is concerned about processing all applications fairly and quickly. To accomplish this, the applicant shares certain responsibilities. The applicant must be properly prepared. This includes reading these Regulations to understand the issues, which must be addressed, and includes dealing with all the significant issues up front.

Incomplete submittals, or failure to properly address issues will result in unnecessary delays in obtaining a final decision from the Board.

(C) The application process is similar for all applications, although the amount of work and time to obtain an approval vary widely.

(1) All applications follow this basic process:

- Preparation. The applicant prepares the application, usually done by hired professionals. This may involve some discussion with the Board through conceptual consultation or design review meetings.
- Application Acceptance. Upon submittal of the application materials to the Town, the application is placed on the next available Planning Board agenda for consideration. By State law, there is a minimum lead-time of 15 days.
- Scattered & Premature. The Board may make certain findings that a proposed development is scattered & premature, which may lead to modification of the application or could result in denial.
- Road Layout. For Major Subdivisions only, the Board requires extra meetings to discuss road layout and function before it will accept or review final road design plans. This permits transportation issues to be discussed conceptually before the exact details of specific designs are developed.
- Public Hearing. All applications will have a public hearing. This is the official opportunity for the public to ask questions about the application, to raise issues, offer suggestions, or indicate their support or opposition. The Hearing may be interspersed with periods of deliberation by the Board, and may be continued to future dates.
- Decision. In the end, the Board must decide whether to approve or deny the application. In the majority of cases, the Board approves the application with conditions, which means that there are additional administrative or technical requirements, which must be satisfied to obtain the full approval.

(2) Timing. Perhaps the most commonly asked question about an application to a planning board is "how long will it take?" There is no standard answer. At a minimum, there must be a meeting with the Board, and this alone requires at least 15 days lead-time. Boundary Line Adjustments and Minor Subdivisions are often approved at a single meeting. Major Subdivisions, however, require a minimum of two meetings and are likely to take two to three months to complete. However, this general answer is all based on the assumptions that the applicant is properly prepared, and that no unusual circumstances arise. Without the applicant's consent, however, it is very unlikely that an application process can take longer than six months.

SECTION 2.00: APPLICATION PROCESS.

2.01 PRELIMINARY CONCEPTUAL CONSULTATION. This meeting shall be directed at a review of the basic concept of the proposal and suggestions, which might be of assistance in resolving problems with meeting requirements during final consideration. The Board and applicant may discuss proposals in conceptual form only and in general terms such as desirability of types of development and proposals under the Master Plan. The presentation to the Board of new surveys, engineering plans or similar materials shall require the Design Review process to be followed, so the Chairman must be careful to keep these discussions at a general level. Typically, maps from the Master Plan, tax maps, county soil survey maps and the like are acceptable levels of generality upon which to base these discussions. Such consultation shall not bind either the applicant or the Board, and statements made by Board members shall not be the basis for disqualifying said members or invalidating any action taken. Such discussion may occur without the necessity of giving formal public notice, but such discussions may occur only at formal meetings of the Board. Preliminary conceptual consultation meetings are strictly optional to the applicant.

2.02 DESIGN REVIEW.

- (A) The Board and applicant may engage in non-binding discussions beyond conceptual and general discussions, addressing more specific design, planning and engineering details, provided that the design review may proceed only after formal public notice is provided. Statements made by Board members shall not be the basis for disqualifying said members or invalidating any action taken. The applicant shall pay appropriate public notice fees as specified in §2.06(B), and shall provide all required materials and information required for public notice per §2.10 and §2.11. Design Review meetings are strictly optional to the applicant, but such meetings can be helpful in identifying and resolving problems in an application prior to major design investments by the applicant.
- (B) The Design Review meeting is especially appropriate for receiving comments on the general road plan of a Major Subdivision per §2.16(A), and for reviewing the concepts for an Open Space Development subdivision.

2.03 BOUNDARY LINE ADJUSTMENT. The application for a Boundary Line Adjustment shall be made to the Board, and shall follow the process specified in §2.06 through §2.20 of this Regulation. Approved plans shall be signed and recorded at the Rockingham County Registry of Deeds.

- (A) The applicant shall submit to the Board the following:
 - (1) Correctly completed application form, signed by the owner.
 - (2) Abutters list, with: correct abutters, dated within five days of submittal, and signed by preparer, with accompanying adhesive mailing labels.
 - (3) Payment of fees for administration per §2.06(A)(1), and public notice per

§2.06(B)(2).

- (4) three paper copies of final plans complying with all requirements of §4.00.
- (5) copy of application for State Subdivision approval if the application affects the location or setback of an existing or proposed septic system.
- (B) The Board will generally use the Checklist for Application Completeness; Boundary Line Adjustment Application, provided in §6.00, to ensure completeness prior to accepting the application. The applicant is encouraged to use this checklist to ensure the submittal contains all needed information and materials.
- (C) Time and budget permitting, the Board will generally have written reviews of the application prepared by a professional planner, and a Professional Engineer where appropriate. Where possible, these written reviews should be prepared and available one week prior to the meeting at which application acceptance will be considered. The reviews will address both application completeness and compliance with applicable laws, regulations and ordinances. Additional reviews may be prepared in the case of applications, which take more than one meeting. Applicants may pick up copies of the written reviews at the Town Offices as soon as they are available to the Board.
- (D) Board members should visit the site prior to the meeting to familiarize themselves with the site, although individual Board members should not discuss the application with the applicant except at the Board's meetings. The Board may, by motion, require a site visit prior to application approval.

2.04 MINOR SUBDIVISION. The application for a Minor Subdivision shall be made to the Board, and shall follow the process specified in §2.06 through §2.20 of this Regulation. Approved plans shall be signed and recorded at the Rockingham County Registry of Deeds.

- (A) The applicant shall submit to the Board the following:
 - (1) Correctly completed application form, signed by the owner.
 - (2) Abutters list, with: correct abutters, dated within five days of submittal, and signed by preparer, with accompanying adhesive mailing labels.
 - (3) Payment of fees for administration, per §2.06(A)(2), and public notice, per §2.06(B).
 - (4) three paper copies of final plans complying with all requirements of §4.00.
 - (5) Documentation that the following applications and correspondence has been submitted: letters to the appropriate Town officials regarding local permits and reviews, for issues including but not limited to connection to the municipal water and/or sewer systems, connection to the municipal storm water drainage system, and emergency services review.
- (B) The Board will generally use the Checklist for Application Completeness; Minor

Subdivision Application, provided in §6.00, to ensure completeness prior to accepting the application. The applicant is encouraged to use this checklist to ensure the submittal contains all needed information and materials.

- (C) Time and budget permitting, the Board will generally have written reviews of the application prepared by a professional planner, and a Professional Engineer where appropriate. Where possible, these written reviews should be prepared and available one week prior to the meeting at which application acceptance will be considered. The reviews will address both application completeness and compliance with applicable laws, regulations and ordinances. Additional reviews may be prepared in the case of applications, which take more than one meeting. Applicants may pick up copies of the written reviews at the Town Offices as soon as they are available to the Board.
- (D) Board members should visit the site prior to the meeting to familiarize themselves with the site, although individual Board members should not discuss the application with the applicant except at the Board's meetings. The Board may, by motion, require a site visit prior to application approval.

2.05 MAJOR SUBDIVISION. The application for a Major Subdivision shall be made to the Board, and shall follow the process specified in §2.06 through §2.20 of this Regulation. Approved plans shall be signed and recorded at the Rockingham County Registry of Deeds.

- (A) The applicant shall submit to the Board the following:
 - (1) Correctly completed application form, signed by the owner.
 - (2) Abutters list, with: correct abutters, dated within five days of submittal, and signed by preparer, with accompanying adhesive mailing labels.
 - (3) Payment of fees for administration, per §2.06(A)(2), and public notice, per §2.06(B).
 - (4) Copies of plans, as follows:
 - (a) one mylar plan, at a scale of 1:12,000, showing the original lot's boundaries and proposed road layout, and depicting the surrounding area and roads sufficient to locate the mylar plan on the Town Base Map. This plan is to be used to evaluate the road function and layout, per §2.16(A).
 - (b) three paper copies of plans indicating existing property boundaries per §4.10(A), existing conditions per §4.10(B), municipal and zoning district boundaries per §4.10(C), and the 100-year floodplain per §4.10(E).
 - (c) three paper copies of sketched plans, which show conceptual plans for the proposed conditions on the property, per §4.10(F). These plans shall be used by the Board to evaluate the proposal with respect to its

intermediate decisions on road function and layout, and scattered or premature development.

- (5) Documentation that the following applications and correspondence has been submitted:
 - (a) letters to the appropriate Town officials regarding local permits and reviews, for issues including but not limited to connection to the municipal water and/or sewer systems, connection to the municipal storm water drainage system, and emergency services review.
- (B) The Board will generally use the Checklist for Application Completeness; Major Subdivision Application, provided in §6.00, to ensure completeness prior to accepting the application. The applicant is encouraged to use this checklist to ensure the submittal contains all needed information and materials.
- (C) Time and budget permitting, the Board will generally have written reviews of the application prepared by a professional planner, and a Professional Engineer where appropriate. Where possible, these written reviews should be prepared and available one week prior to the meeting at which application acceptance will be considered. The reviews will address both application completeness and compliance with applicable laws, regulations and ordinances. Additional reviews may be prepared in the case of applications, which take more than one meeting. Applicants may pick up copies of the written reviews at the Town Offices as soon as they are available to the Board.
- (D) Board members should visit the site prior to the meeting to familiarize themselves with the site, although individual Board members should not discuss the application with the applicant except at the Board's meetings. The Board may, by motion, require a site visit prior to application approval.

2.06 FEES. In accordance with RSA 676:4,I(g), the applicant shall pay the following fees to compensate the Town for its expenses in processing, noticing and reviewing each application:

- (A) Administration: (note: amended October 12, 1999)
 - (1) Lot Line Adjustment: \$50
 - (2) Major Subdivision: \$400.00 plus \$150/lot
 - (3) Minor Subdivision: \$200.00 plus \$50/lot
- (B) Public Notice: (note: amended October 11, 2011)
 - (1) \$75.00 per newspaper notice; plus
 - (2) \$7.00 per abutter or other party notified.
- (C) Recording: The applicant shall reimburse the Town the cost of recording at the Rockingham County Registry of Deeds, with specific amounts as set by the Register of Deeds.

- (D) Other costs incurred by the Board in reviewing the application, as limited in §5.02, may be passed through to the applicant by the Board.

2.07 COMPLETE APPLICATION. For the Board to have authority to approve an application, the applicant must provide a complete application per RSA 676:4,I(b). Specific lists of materials required to comprise a complete application submittal are listed, by type of application, in §2.03, §2.04, and §2.05. Applications which appear to the staff to be complete shall be scheduled on the next available Board agenda for consideration.

2.08 SUBMITTAL OF APPLICATION MATERIALS. All materials to be submitted to the Board for consideration shall be submitted prior to the meeting so that Board members, the public, and staff may have sufficient opportunity to review the application without unnecessarily rushing the review and/or delaying the proceedings of the meeting. The following shall apply:

- (A) Application Acceptance. In accordance with RSA 676:4,I(b), all materials required to constitute a complete application shall be submitted to the Board at least 15 days prior to the meeting at which it will be considered for application acceptance, except that this shall be increased to 21 days when it is determined that there may be a potential regional impact per §2.11.
- (B) Other Public Hearings. New materials shall be submitted to the Board at least 14 days prior to a meeting when a new public notice is required.
- (C) Continued Meetings. When consideration of an application is continued and new information is required, the Board shall specify the deadline for filing this new information. In no case shall it be less than one day prior to the meeting. The deadline shall be stated in the motion to continue.

2.09 APPLICATION FOR OTHER PERMITS/APPROVALS.

- (A) The Board shall not grant a final approval to an application until all other government permits and approvals are obtained. The only exception to this requirement shall be when State or Federal permits require prior local approval. Applicants are advised to apply early for these other approvals to avoid unnecessary delays in obtaining final approval of the Subdivision application, but applicants with Major Subdivisions are advised to delay applications to the State until general design guidance has been provided by the Board.
- (B) Concurrent Application. Where the proposed development requires approval under both the Subdivision Regulations and the Site Plan Review Regulations, a concurrent application may be required by the Board. The applicant shall provide all materials required for complete applications for both regulations (see Subdivision Regulations §2.07 and Site Plan Review Regulations §2.07), except that the public notice fees shall not be paid twice.

2.10 PUBLIC NOTICE. Public notice pursuant to RSA 676:4,I(d) shall be required for all applications. The public notice shall identify the property owner, the location, and a general

description of the scope and purpose of the proposal.

- (A) Public notice shall be required for the following:
 - (1) design review meetings;
 - (2) meetings at which an application is considered for acceptance; and
 - (3) meetings at which a public hearing is conducted.
- (B) Public notice shall be mailed to the applicant, the applicant's authorized representative, any professional (surveyor, engineer, architect, soil scientist) whose stamp and signature appear on any of the plans or other materials submitted as part of the application package, and each abutter at least 10 days prior to the meeting for which the notice is required. Such notification shall be mailed by certified mail.
 - (1) Using the Abutters List form provided in §6.00 of this Regulation, the applicant shall prepare a list of abutters using Town records no sooner than 5 days prior to the submittal of the application; and
 - (2) The applicant shall provide three adhesive mailing labels for each party on the abutters list, including the applicant and authorized representative. The labels shall be no larger than 1" by 2.75" in size.
- (C) Public notice shall be posted at the Town Offices at least 10 days prior to the meeting.
- (D) Public notice for Minor Subdivision and Major Subdivision applications, but not for Boundary Line Adjustment applications, shall be published in a newspaper of general circulation. This notice shall be sent to the newspaper at least 10 days prior to the meeting.
- (E) Continuation of a meeting or public hearing shall not require new public notice provided that, at the prior meeting or hearing, the Board shall state the location, date, and time at which the continued session shall resume per RSA 676:4,I(d).

2.11 REGIONAL NOTICE. In accordance with RSA 36:54-58, applications which might have a regional impact shall require additional public notice, and by State law require additional time for public notice.

- (A) Determination of potential regional impact shall be found only for applications defined as Major Subdivisions, and further which meet any of the following criteria:
 - (1) Any portion of the property is located within 500 feet of the border of the Town of Newmarket;
 - (2) The proposal involves 20 or more residential units;
 - (3) The proposal involves property located on the shore of Great Bay; or

- (4) other as the Board may reasonably determine.
- (B) Notice shall be sent by certified mail 14 days in advance of the scheduled public hearing to the Strafford Regional Planning Commission (for impacts in Durham or Lee) and/or the Rockingham Planning Commission (for impacts in Epping, Newfields, Stratham, Greenland or Newington), and to each town reasonably likely to be affected, with each governmental entity to be considered an abutter for purposes of offering testimony and computing public notice fees.
- 2.12 APPLICATION ACCEPTANCE.** Before an application is reviewed by the Board, it must be accepted by a formal vote of the Board. The applicant shall attend this meeting to ensure that questions can be answered and issues clarified as necessary. Per RSA 676:4,I(b), the Board shall vote to accept the application only if determines that the application is complete per this Regulation. Upon acceptance, review of the application may proceed. If an application is not accepted, the Board may proceed with Design Review discussions per §2.02. The Design Review meeting may be continued to another date and time for Application Acceptance without further public notice.
- 2.13 APPLICANT'S PRESENTATION.** Following application acceptance, the applicant shall make a brief, general presentation to the Board and audience. This presentation should include a brief description of the proposed project and a general description of the design, layout, and so forth. The applicant may list specific issues of concern which they would like the Board to discuss during deliberations, but this forum is only intended to ensure general familiarity with the application. The applicant is solely responsible for bringing any audio-visual materials or equipment needed. The Chairman shall have sole authority to limit the time taken for this presentation to keep the meeting moving, and applicants should plan on 10 minutes or less for most applications. For applications, which are reviewed over a series of meetings, this presentation may be appropriate at the beginning of each session.
- 2.14 PUBLIC HEARING.** The Board shall open a public hearing following application acceptance and the applicant's presentation. The purpose shall be to solicit public input, comments, questions and concerns. The Chairman may temporarily suspend public comment during the public hearing so that the Board may deliberate, vote of waivers, and so forth. The public hearing may be continued if additional meetings are necessary, provided that the Board follows the continuation procedures specified in §2.10(E). Only when all pertinent, new public input is complete shall the Chairman close the public hearing. The applicant shall be responsible for attending the public hearing, including all continuations, to ensure that questions can be answered and issues clarified as needed.
- 2.15 DELIBERATION.** The Board shall deliberate as necessary to determine the appropriate decision. The deliberation does not necessarily follow the public hearing, and may be interspersed with the public hearing, or may occur prior to the public hearing. This is the appropriate forum for the applicant and Board to discuss specific issues. The Board should keep in mind, however, the purpose of the public hearing, and therefore should generally defer decisions until after relevant public input is received.
- 2.16 INTERMEDIATE DECISIONS.** Deliberations for each application will be unique, but there are several intermediate decisions, which may be particularly applicable in certain cases:

- (A) Major Subdivision Road Function and Layout. For Major Subdivision applications only, the Board shall first review the general function and layout of the proposed or potential roads on the entire property. Final plans for Major Subdivisions should not be prepared until after this review has taken place.
- (1) Purpose. The importance of this step cannot be understated. Establishing the layout of roads and property boundaries has an important impact on the character and function of the community. Roads can detract from the neighborhood, or they can enhance it. Traffic circulation and safety can be enhanced or impaired in the neighborhood and in affected surrounding areas. New development can relate in a positive or negative manner to the existing developments nearby. Among the most influential and long lasting determinants of these functions are the establishment of the road network and property boundaries, and for this reason the general proposal should be reviewed and generally approved before further details are worked out.
 - (2) This decision shall be based on the Board's initial opinion regarding the proposal with respect to the Road Design Objectives described in §3.02(A), including traffic function, road layout, scale and aesthetics. Of particular importance at this point of the review is an assessment of the general pattern of the road network, how well it fits into and connects with the adjacent road network, how the road design will affect its traffic functions, how the road design fits into the features of the site, and how the transportation functions will relate to the land use functions when the site is fully developed.
 - (3) If the applicant so chooses, this discussion and a tentative decision can occur during a Design Review meeting, per §2.02. The decision of the Board must be confirmed following application acceptance since the Design Review is non-binding by State law. The advantage to using the Design Review process for this purpose would be to permit the applicant to receive feedback on the general road plan prior to investing time and money in the final design, hopefully resulting in monetary savings and quicker approval of the application. If the Design Review meeting is not used for this purpose, the Board shall not review and approve a Major Subdivision application in one meeting. It shall proceed through this intermediate decision, and shall continue the discussion of the details to a later meeting prior to discussing any other details pertaining to roads or lots.
- (B) Scattered or Premature Development. The Board may deny an application if it determines that the proposed development would be scattered or premature. If the Board is considering denial of an application on this ground, it shall first determine, by majority vote, that the application, if approved, would be scattered or premature by virtue of one or more the reasons listed in §1.01(A) and RSA 674:36,II(a). In making this determination, the Board shall specify the exact nature of its concerns. Prior to denying an application on this basis, the Board shall provide the applicant, if the applicant is agreeable, with sufficient time to determine whether or not there is any reasonable way to modify the proposal or to directly mitigate the adverse impacts in a manner such that the proposal would no longer be considered scattered or premature.

2.17 **DECISION.** Pursuant to RSA 676:4,I(c), the Board shall issue a decision within 90 days of application acceptance, subject to time extensions as per RSA 676:4,I(f). Applications, which are not accepted, require no decision. The Board must approve, conditionally approve, or disapprove the application as follows:

- (A) Approval. The Board shall grant approval to an application when it fully complies with the standards and processes of this Regulation and other applicable law.
- (B) Conditional Approval. The Board may grant conditional approval to an application when minor additional action by the applicant will bring the application into full compliance for approval. This may include the posting of financial securities, payment of fees, minor changes in design, and other matters, subject to the requirements of §2.17(C)(2), and RSA 676:4,I(i). These statutory requirements are summarized as follows:
 - (1) Minor plan changes, whether or not imposed by the Board as a result of a public hearing, compliance with which is administrative and which does not involve discretionary judgment; or
 - (2) Conditions which are in themselves administrative and which involve no discretionary judgment on the part of the Board; or
 - (3) Conditions with regard to the applicant's possession of permits and approvals granted by other governmental units.
- (C) Disapproval. The Board shall disapprove an application when it fails to comply with the standards and/or procedures of this Regulation, for failure to meet reasonable deadlines established by the Board, or for failure to pay fees.
 - (1) If the Board includes the phrase, "without prejudice" in the motion to disapprove, it signifies that the application was denied solely for procedural reasons, and that it may be re-submitted to the Board at a later date without design changes, but shall be subject to the codes in effect at the time of the new application. Applications disapproved without this stipulation shall not be considered again by the Board unless the applicant demonstrates that there have been design changes or changes in regulations affecting the application.
 - (2) Conditional Approvals shall be valid for a period of not more than six months. If the conditions of the approval have not been satisfied within this time, the conditional approval shall automatically lapse. The Planning Board may grant a single six-month extension to accommodate unusual circumstances, but the applicant is required to provide a written request for extension to the Board before the expiration date. The Board shall consider the request at its next regular meeting, and such action shall not require a public hearing.

2.18 **NOTICE OF DECISION.** As required by RSA 676:3, within 72 hours of the meeting the Board shall issue a Notice of Decision which states the final decision reached by the Board regarding the application.

- (A) In the case of a conditional approval, the Notice of Decision shall state all conditions to be met for final approval.
 - (1) In the event that the conditions are satisfied, the Board shall issue a supplemental Notice of Decision stating that the application is approved since all conditions have been satisfied, and shall sign and record the plat(s) if applicable.
 - (2) In the event that the conditions are not satisfied, the Board shall issue a supplemental Notice of Decision stating that the application is denied for failure to comply with the conditions of approval in a timely manner.
- (B) In the case of a disapproval, the Notice of Decision shall state the reasons for denial as required by RSA 676:4,I(h) and RSA 676:3,I.

2.19 APPEALS. Any person aggrieved by any decision made in the course of applications pursuant to this chapter may appeal as follows:

- (A) Decisions by the Planning Board based solely upon interpretation of the Zoning Ordinance may be appealed to the Zoning Board of Adjustment or Rockingham Superior Court per the provisions of RSA 676:5,III. Appeals to the ZBA must be filed within 20 days, and appeals made to Superior Court must be filed within 30 days.
- (B) All other decisions by the Planning Board may be appealed to Rockingham County Superior Court per the provisions of RSA 677:15. There is a 30-day time limit in which to make an appeal.
- (C) The time limit for appeals begins on the day on which the Planning Board decision is filed and first becomes available for public inspection. Per §2.18, this should occur within 72 hours of the Board's decision.

2.20 REVOCATION OF APPROVAL. The Board may act to revoke an approval per the requirements of RSA 676:4-a.

SECTION 3.00: DESIGN STANDARDS.

3.01 CHARACTER OF THE LAND. The Board shall consider the physical character of the land involved, including soils types, slopes, drainage characteristics, exposure to sunlight and wind, wildlife habitat, potential views, and other such characteristics, in determining what action to take with respect to the application.

- (A) An application to subdivide land of such character that it cannot, in the judgment of the Board, be safely used for the proposed purposes because of danger to public health or safety shall not be approved.
- (B) Where the character of the land is not adequately considered, the Board may require modification of the application to enhance the function and quality of the

development, or to reduce adverse impacts resulting from the development.

- (C) Lots shall contain contiguous areas of developable land such that the driveway, building, water supply and sewage disposal, and other improvements can be constructed without filling of wetlands or other such adverse impacts, which could be eliminated by different subdivision design. The number of lots may be reduced by the Board to reduce adverse impacts. The Board shall have the authority to require design changes to minimize impacts regardless of the actions of other local or State permitting actions, such as the issuance of a permit to fill wetlands for a driveway crossing.
- (D) Site lot lines shall generally be at right angles or radial to street lines.

3.02 ROADS. This section represents a compilation of sources on this complex and important subject. Among the sources are: Residential Street Design and Traffic Control (by Homburger, Deakin, et al; Institute of Transportation Engineers. Prentice Hall, Englewood Cliffs, NJ. 1989.) and "Neo-Traditional Neighborhood Design and Its Implications for Traffic Engineers," by Eva Lerner-Lam, Stephen P Celniker, Gary W. Halbert, Chester "Rick" Chellman, and Sherry Ryan, Compendium of Technical Papers, 61st Annual Meeting of the Institute of Transportation Engineers, 1991. Some of the text of this section is quoted from these sources, but there has been no attempt to provide specific quotations. The understanding of these authors is greatly appreciated by the Town of Newmarket.

- (A) Design Objectives. Before road design can be addressed, the Town's design objectives must be laid out as clearly as possible so that the design professionals can understand what is expected of them, and to develop a better understanding of the multiple demands placed on road design. First and foremost, roads must be recognized as complex public spaces, which accommodate and impact traffic, parking, pedestrians, bicyclists, and aesthetics, among other things. Road design objectives are further categorized and specified as follows:
 - (1) Traffic Function. Roads must accommodate safe access to properties, convenient and efficient pickups and deliveries, emergency access, maintenance services, and other such uses. The overall road system should provide for sufficient number and layout of collectors and arterials to handle through traffic flow as one means of protecting local residential streets from through traffic. Further, local residential streets shall be linked to traffic carrying streets in a way that simultaneously provides good access to other parts of the community and region and minimizes the chances of residential streets' use by through traffic. Further, residential streets should be protected from vehicles moving at excessive speeds, typically greater than 25 to 30 MPH. The design engineer is challenged to balance this last provision against RSA 265:60,II, which dictates higher speed limits in most cases. Proper access management is essential in protecting the traffic capacity of arterial roads.
 - (2) Road Layout. The general layout of roads shall be a regular, inter-connected, geometric, angular (as opposed to curvilinear) pattern so that there are alternative routes to most, if not all destinations. The layout of proposed

roads shall provide for the continuation of the principal streets in adjoining areas, if applicable. The number of permanent cul-de-sacs shall be minimized. Suitable connections and reservation for future connections to remaining lands and adjacent lots shall be provided. Layout geometry shall be designed to take advantage of the topography and proposed future development patterns, creating vista terminations and improving the view of, and the view from buildings and other prominent vistas. Layout shall also be carefully designed to avoid creation of a situation where the local road is used for through traffic flow.

- (3) Scale. The scaling of the facility must facilitate the appropriate level of sharing of road use among cars, walkers, bicycles, emergency vehicles and others. The final product shall permit comfortable and safe pedestrian and bicycle movements as well as motorized vehicular movements, and shall protect vulnerable users such as children, the disabled, and the elderly.
- (4) Aesthetics. Road design should enhance the overall aesthetics of the neighborhood through well-designed street layout and landscaping. Additionally, recreation areas in the form of commons or public squares should be used as focal points and vista terminations. Aesthetics must be achieved through the thoughtful integration of all aspects of design, and cannot simply be "added on" to a design.
- (5) Quality Construction. Regardless of the outcome of the more policy-oriented layout and function issues of the road system, the construction of roads shall be of high quality. Roads shall be constructed to standards suitable for the climate, the environment in which they are built, and for the proposed use. The resulting road should require a minimal amount of maintenance for quite many years.

- (6) Stormwater Management. The road design and other associated lot development shall include adequate stormwater management provisions that meet requirements specified in Section 3.03 of these Regulations. The use of permeable asphalt or concrete is encouraged wherever appropriate to minimize increases in runoff volume and peak flow rates leaving the site.
- (B) Design Standards. Although it is the intent of these Regulations to provide design parameters to guide overall design, it is the responsibility of the engineer designing the road to apply her or his professional expertise in creating the design. Additionally, the Town shall have another engineer review the design for compliance with the purposes and controls of this Regulation as well as with accepted engineering practices. It should be noted that the Board expects to create only local roads, and that more suitable standards for design and construction shall be required for collectors and arterials should such functions be proposed or expected.
 - (1) Design speed of local roads shall be 30 MPH. This may be altered where necessary to comply with RSA 265:60,II(c), except that 30 MPH shall be the maximum design speed if the speed limit can be reduced to 30 MPH or less per RSA 265:62.
 - (2) The grade of a road shall not be less than 1% nor greater than 8%. The maximum grade of a road approaching an intersection shall be 3% within 50' of the intersection.
 - (3) All roads shall have a road crown of at least 1/4" per 1'.
 - (4) All roads shall be paved. The minimum width of pavement per travel lane shall be 12'. Curbing shall be required as specified in §3.03(A) or §3.03(B). Where no curbing or where Cape Cod curbing is required, gravel shoulders at least 4' in width shall be required on each side of the road.
 - (5) The centerline of a cul-de-sac shall be aligned with the centerline of the street. The surface of the pavement shall slope away from the center of the cul-de-sac. Temporary cul-de-sacs shall be provided, with easements for their construction and use as appropriate, in locations where future connections are planned but cannot be provided at the time of development. Where connections can be made, they shall be made.
 - (6) Except as provided herein, driveway locations shall not be specified on the subdivision plan, but the sight distances along the frontage shall be protected. Safe stopping and intersection sight distances shall meet or exceed the standards specified in the Transportation and Traffic Engineering Handbook (ITE, Second Edition, Prentice-Hall, Englewood Cliffs, NJ, 1982, pp 590-3).
 - (a) For access onto State highways, driveway location consistent with the State Driveway Permit shall be shown.

- (b) For subdivisions fronting on arterial roads, the number of driveway accesses onto the arterial road shall be minimized:
 - [1] access onto internal roads rather than the arterial road shall be required to the extent possible; and
 - [2] a single shared driveway shall be required for adjoining lots, which must access directly onto the arterial road.
 - (7) No point along a road centerline shall be more than 1,000' from a single point of access in the road network. This requirement is similar to a maximum cul-de-sac length standard, but applies more broadly to the cul-de-sac and the adjacent road network.
 - (8) Roads shall intersect at 90 degrees, plus or minus 15 degrees.
 - (9) Other safety provisions may be required if appropriate, including but not limited to curbing and guardrails.
 - (10) The designer shall prepare a report which documents how the proposed design complies with the design objectives listed in §3.02(A). This report may be included as part of the Stormwater Management and Erosion Control Report as required by Section 3.03 of these regulations.
- (C) Property Issues.
- (1) The minimum width of any road right-of-way shall be 50'. A larger width may be required where conditions warrant. Additionally, flairs or curve radii may be required at intersections where such provisions would be beneficial.
 - (2) Reserve strips which restrict access to the right-of-way from adjacent lots or roads shall be prohibited.
 - (3) Easements for cut and fill slopes, drainage, water lines, sewer lines and other such improvements shall be provided as appropriate.
 - (4) The application shall specify ownership and responsibility for maintenance of the right-of-way and all improvements therein. Subdivision approval in no way implies Town acceptance of any road or right-of-way, and in no way obligates the Town in any future consideration of such acceptance.
- (D) Construction.
- (1) Only that portion of the right-of-way shall be cleared and grubbed as is necessary to meet safety requirements. Where possible, preservation of existing vegetation, ground cover and especially trees is highly desirable. The extent of clearing shall be noted on the plans. Excavation of roadbeds shall

consist of removing earth or ledge to a depth of at least 2' below the finished roadbed grade shown on the final profile. Filled roadbeds shall be formed by spreading successive layers of fill material not greater than 6" in depth. Each layer shall be compacted to a density of at least 95% of maximum density before another layer is begun. Material containing loam, forest litter, wood, roots, or other substances that will not provide a stable bed or embankment shall not be used. Broken ledge may be used in layers in fills over 4' in thickness. The voids in each layer shall be filled with earth or spalls. Broken ledge or boulders larger than 1/2 cubic yard shall not be placed within 2' of the finished grade.

- (2) Types of materials and methods of construction shall be in accordance with "New Hampshire Standard Specifications," 1983, Section 304, hereby incorporated into this Regulation by reference.
 - (a) Minimum base course depth shall be not less than 18" of gravel, topped with 6" of crushed gravel. Additional base material may be required depending on the nature of the land.
 - (b) Two courses of pavement shall be required:
 - [1] base course of not less than 2" thickness. The base course pavement shall go through one winter freeze-thaw cycle prior to adding the wear course so that problems can be identified and corrected properly.
 - [2] wear course of not less than 1.5" thickness.
- (3) Stumps and other debris shall not be disposed of in the right-of-way.
- (4) Bridges with a span of 10' or more shall be designed to HS-20 loading specifications (AASHTO Specifications, hereby incorporated into these regulations by reference).
- (5) Side slopes cut in soil above the finished roadway shall not exceed a ratio of 3' horizontal to 1' vertical, and shall be graded, covered with 4" (compacted depth) of topsoil, and suitably seeded. Side slopes in ledge above the finished roadway shall not exceed a ratio of 1' horizontal to 2' vertical. Embankment slopes away from the edge of the finished roadway shall not be constructed at a ratio steeper than 4' horizontal to 1' vertical unless the horizontal length exceeds 10', in which case a ration of 3' horizontal to 1' vertical may be used.
- (6) Because of the nature of the design and construction of roads, certain design modifications are made in the field on virtually every construction project. The Board acknowledges that such changes will be necessary from time to time, and authorizes the inspecting engineer representing the Town to exercise his/her professional judgment in making such changes, and asks that the

engineer to document such changes and remain consistent with the purposes of this Regulation and this Section in making their judgment.

(E) Traffic Impact Analysis.

(1) A traffic impact analysis shall be required in the following circumstances:

- (a) the subdivision involves the creation of 20 or more residential lots or residential units;
- (b) the subdivision is intended to facilitate non-residential land uses; or
- (c) other, as deemed necessary by the Board.

(2) The traffic impact analysis shall be prepared by a NH licensed Professional Engineer. This analysis shall be prepared to meet, at a minimum, the "Guidelines for Traffic Impact Analysis" (by the Strafford Regional Planning Commission, dated July 1986: A copy is available for viewing at the Planning Office).

(F) Other.

- (1) Grade Stakes. The applicant shall be responsible for placing grade stakes at 50' intervals adjacent to the road course where there are abrupt changes in grade and at 100-foot intervals where a more level contour is present. Each stake shall be securely placed where it will not be disturbed by construction. Each stake will indicate a station number, its offset from the centerline of the road, and the extent of cut or fill to the finished centerline grade. Grade stakes shall be preserved until the completion of the road. If grade stakes are removed or damaged to the extent that they cannot be read, it shall be the responsibility of the applicant to replace them.
- (2) Road Names. Proposed road names shall not duplicate any existing road name in Newmarket, and shall be approved in advance by the Town Council. Each road name shall be adequately identified with a road name sign at each intersection. Upon completion of the road, the applicant shall notify the Town Clerk, who shall notify the Commissioner of the NH Department of Transportation of the new road, as required per RSA 231:133,III.
- (3) Clean-up. Before release of any financial security, the road surface and associated drainage structures shall be cleaned of any accumulated sediment or debris, so that it is left in a neat and presentable condition. Construction-related debris of all kinds, both natural and man-made, shall be completely removed from the right-of-way.
- (4) All roads shall have such traffic control signs as are necessary to provide for safety and efficiency. It shall be the applicant's responsibility to provide and

install all required signs.

- (5) Subdivision along a Class VI road, or any private road, shall not be approved unless the applicant upgrades such road to meet the design standards of this Regulation. The provisions of RSA 231:28 may be applicable.
- (6) Road Acceptance. Acceptance of any road by the Town is the sole responsibility of the Town Council, and approval of a subdivision plan by the Planning Board shall not imply or compel acceptance of the road by the Town. While a private road, the applicant shall make adequate provisions for the on-going maintenance of the road.

3.03 STORMWATER MANAGEMENT. All developments shall provide adequate stormwater management for the purposes of preventing both onsite and downstream flooding, provide water quality treatment and prevent erosion of adjacent and downgradient areas. All applications shall be accompanied by a completed Subdivision Stormwater Management Checklist to the Planning Board prior to consideration for review.

All development will include on-site control of peak flows and run-off volumes as well as water quality treatment as described in detail below and requires the submission of a Stormwater Management and Erosion Control Report with accompanying plans for review and approval by the Planning Board. The Stormwater Management and Erosion Control Plan shall satisfy the report requirements as specified in Section 3.03 (B) below:

- (A) Connection to the municipal storm drainage system shall be allowed only as necessary if the use of vegetated or onsite measures are not available or infeasible due to existing soils, space limitations or other property constraints, or as otherwise determined necessary by the Board. All projects shall meet the criteria below to the maximum extent practicable, whether or not the onsite drainage facilities are connected to the municipal system.
 - (1) The design and installation of any onsite structural BMP measure shall be in accordance with the NHDES Stormwater Manual, Vols. 1 and 2, dated Dec. 8, 2008, or as amended, and meet the requirements therein.
 - (2) The applicant shall demonstrate that adequate onsite stormwater provisions and drainage facilities are included to prevent increases in the predevelopment peak runoff rate leaving the site for various design storm frequencies up to a 50-year, 24-hour design storm, consistent with the requirements of Section 3.03 (B) of these Subdivision Regulations. Provisions for water quality treatment and groundwater recharge shall also be included. Runoff potentially generated from additional lot development aside from the roadway itself shall be included in the analysis.
 - (3) Such drainage facilities shall be located in the street rights-of-way where feasible to allow convenient access for future maintenance. Where topography or other conditions are such as to make this impractical, perpetual

unobstructed easements for future maintenance, repair and upgrade of the system shall be provided across all properties. Such easements shall be 25' or more in width, and shall have satisfactory access to the road. An Operations and Maintenance Plan shall be included for all stormwater BMPs as described in Section 3.03(C) of these Subdivision Regulations.

- (4) Where curbing is included in the road design to channel storm water into the drainage system, the curbing shall consist of granite. (Amended May 23, 2000)

- (B) A Stormwater Management and Erosion Control Report shall be prepared and certified by a licensed NH Professional Engineer and submitted with the Subdivision application. It shall be prepared and certified by a licensed NH Professional Engineer specializing in Civil Engineering. This Report and plans shall include the following information:

- (1) An existing conditions plan that shows all of the items listed in Section 2.05 of these Subdivision Regulations as well as the pre-development watershed boundaries, drainage patterns, channelized flow areas, existing vegetation, wetlands, conveyance structures and all locations where runoff exits the site. Buffer setback limits as required by the Town's Zoning Ordinances and/or State regulations shall be clearly shown.
- (2) A Stormwater plan that shows all of the items listed in Section 2.05 of these Subdivision Regulations as well as post-development watershed boundaries, drainage patterns, channelized flow areas, proposed areas of disturbance, wetlands, proposed impervious areas, temporary stock pile areas, construction refueling areas, all temporary and permanent stormwater treatment BMPs, erosion control measures, stormwater outlet locations and any drainage and maintenance access easements. A summary of the drainage analysis showing a comparison of the estimated peak flow and volumes for various design storms at each of the outlet locations shall be included on the plan.
- (3) A drainage analysis that includes a description of all methods, assumptions and estimates of pre and post-development peak stormwater flow rates (cubic feet per second) and volumes (acre-feet) for the 2, 10, 25, 50 and 100-year, 24 hour, frequency storm events.
- (4) Design details for all measures used to control peak flow rates, provide for groundwater recharge and/or to capture and reuse stormwater. These design details shall be in accordance with the NHDES Stormwater Manual, Dec. 2008 or as amended.
- (5) A description and associated design and sizing details of all stormwater treatment measures that will be used for water quality protection. Stormwater treatment measures shall be sized to treat the water quality volume produced from 1-inch of runoff from all impervious areas.
- (6) A description and design details of the erosion control measures to be used during the construction and vegetation establishment phase to minimize erosion and sediment movement into drainage structures, wetlands and surface waters.
- (7) Landscaping plan and details that show planting areas, proposed plant species focusing on native species suitable to anticipated site conditions and provisions

for controlling the establishment of nuisance invasive species.

- (8) An Operations and Maintenance Plan that outlines the proposed inspection and maintenance schedule for all temporary erosion control and permanent stormwater treatment measures. The Plan shall describe the inspection protocols and thresholds for determining when maintenance activities are needed and identify the responsible individuals or parties that will perform these activities. The Plan shall also describe the methods for reporting and recordkeeping to ensure the activities have been performed. Records shall be submitted to the Code Enforcement Officer annually as to comply with the maintenance program.
- (9) The applicant shall provide covenant documents for filing with the registry of deeds which demonstrate that the obligation of stormwater BMP maintenance runs with the land and that the Town has legal access to inspect and/or maintain, if necessary, onsite stormwater infrastructure.
- (10) A listing and copies of any additional federal or state permit application documents and associated correspondence that may be required.

(C) **Minimum Requirements for Stormwater:** All subdivisions shall be subject to the following minimum requirements unless a waiver has been granted by the Planning Board:

- (1) The subdivision shall include measures to control the post-development peak rate of runoff at each point where runoff leaves the site so as to not exceed the estimated pre-development peak rate, for the 2, 10, 25 and 50-year, 24 hour storm events. Any site that was wooded in the last five years shall be considered undisturbed woods for purposes of estimating pre-development rates and volumes. Any runoff that flows through the site from upgradient properties should be included in the calculations.
- (2) Efforts shall be made to maintain existing natural drainage patterns and existing mature vegetation to the maximum extent practicable.
- (3) The site design shall include Low Impact Development (LID) strategies and design measures to the maximum extent practicable to promote groundwater recharge and minimize increases in runoff volumes. For sites where infiltration is limited due to existing soil conditions, the applicant must demonstrate that any increase in the pre-development runoff volumes will not cause additional channel scour, erosion, flooding, damage to downstream properties or result and/or contribute to a water quality impairment.
- (4) Efforts shall be made to limit any single, contiguous section of impervious area draining to one outlet area to be no more than 10% of the lot area. Impervious areas shall be disconnected through the use of bioretention areas, infiltration areas, dry wells, vegetated buffers, use of cisterns or other similar measure to capture and/or treat runoff onsite.
- (5) The design of the stormwater drainage system shall provide for the discharge of stormwater without damage or functional impairment to adjacent and downstream properties, streets, drainage structures, culverts, soils, wetland areas, stream channels or vegetation.
- (6) All stormwater treatment Best Management Practices (BMPs) shall be designed

- in accordance with the NH Stormwater Manual, Dec. 2008, or as amended.
- (7) All stormwater BMPs shall be planted with appropriate native grasses, shrubs, trees, and/or other plantings sufficient to prevent soil erosion and enhance vegetative uptake of nutrients and other stormwater pollutants.
 - (8) All stormwater BMPs that will detain runoff shall be designed to drain within a maximum of 24 hours for vector control. BMPs designed to contain a permanent pool of water for water quality treatment purposes shall be shaped and include shoreline shallow marsh areas to limit the size of the permanent pool.
 - (9) Runoff from roadway shall be treated to achieve 80% removal of Total Suspended Solids and 50% removal of both total nitrogen and phosphorus using appropriate treatment measures, as specified in the NH Stormwater Manual, Vol. 1 and 2, December 2008, as amended or other equivalent means. Where practical, the use of gravel wetlands for water quality treatment is preferred given its relatively high nitrogen removal efficiency, as reported by the UNH Stormwater Center.
 - (10) The subdivision plan shall include adequate temporary and permanent erosion control measures consistent with the design guidelines and specifications included in the NH Stormwater Manual, Vol. 3, December 2008, or as amended,
 - (11) Prior to any soil disturbance or tree clearing, appropriate erosion and sediment control measures shall be installed and areas to be protected shall be clearly marked and delineated using construction fencing or some other appropriate means to prevent damage from construction equipment.
 - (12) After erosion control measures have been installed and the areas to be protected are clearly marked, an onsite meeting shall be held with the Town Planner and Engineer prior to the start of any soil disturbance activities to review the construction sequence, timing and measures to protect sensitive areas.
 - (13) The Planning Board may request weekly erosion control inspections to be conducted by either the Town Engineer or another qualified professional at the expense of the applicant, depending on the development size, anticipated construction period, time of year and sensitivity of adjacent resources.
 - (14) All temporary control measures shall be removed after final site stabilization. Any trapped sediment contained within the storm drain system or treatment areas shall be removed using appropriate measures consistent with the maintenance plan included in the approved Stormwater Management and Erosion Control Report.
 - (15) The Planning Board reserves the right to request the applicant to post a performance bond or other security to cover the costs of future inspections or maintenance activities associated with onsite BMPs, if not performed by the landowner(s) or other responsible party.
- (D) Any new stream crossing or culvert upgrade proposed by the Applicant shall comply with the NHDES Stream Crossing Regulations, Env-Wt 900 (adopted May 2010), or as amended, to minimize impacts to flow and animal passage.
- (E) An Erosion Control Plan shall be included as part of the Stormwater Management Report that describes the types of measures to be used, their locations, the construction

timing and sequence, temporary and permanent stabilization measures to be used as well as an inspection and maintenance program.

- (F) Consistent with Section 5.02, and 5.08 of the Subdivision Regulations, applicants may be required at the Planning Board's discretion, to deposit sufficient funds in an escrow account to cover all costs incurred by the Town to perform inspection(s) of the erosion control measures during site construction and at the completion of the construction phase. The number of inspections and associated fees will be determined by the Planning Board and discussed with the Applicant as part of the Subdivision approval process and may depend on the size of the project and the duration of the project. The Planning Board may contract with a consultant to perform inspection services.

3.04 PEDESTRIAN, BICYCLE AND TRANSIT AMENITIES. Adequate provisions shall be made to accommodate pedestrians, bicyclists and transit service.

- (A) Pedestrians. For subdivisions near the downtown, sidewalks shall be provided as follows:
 - (1) Sidewalks shall be installed along Route 108 in front of any lots fronting on the road between its intersection with Bennett Way to the south and to the Durham town boundary to the north.
 - (2) Sidewalks shall be installed along Route 152 in front of any lots fronting on the road between its intersection with Route 108 to the east and to its crossing of the Piscassic River to the west.
 - (3) Sidewalks shall be installed along one side of any new road constructed within 1/2 mile of either of the portions of Route 108 or Route 152 listed in subsections (1) or (2) above.
 - (4) To the extent the development will be the primary beneficiary from adequate connection to the main sidewalk network in Town, connection from the site to the network may be required by the Board.
- (B) Bicycles. Road design shall take adequate consideration of the need to safely accommodate bicyclists in residential neighborhoods, in the village, and in commercial areas.
- (C) Transit. The Town desires to encourage transit use. Therefore, any subdivision, which would create 25 or more lots or residential units, shall contact the manager of the COAST system to determine if facilities or design provisions to accommodate transit service to the development are necessary now or in the near future. Future expectations shall be based only upon adopted capital and operations plans for COAST and/or the Seacoast Metropolitan Planning Organization. The applicant shall provide all needed facilities and design changes.

3.05 SURVEY MONUMENTATION. Proper and complete survey monumentation shall be installed on the properties involved prior to final approval of the application.

- (A) Granite bounds shall be set at the intersection of existing or proposed lot sidelines with existing or proposed streets. The size of such bounds shall be 4" by 4" by 30", with a 3/8" drill hole in the center. The surveyor shall excavate a hole sufficiently large enough to properly place the bounds securely in the ground.
- (B) Iron pins (pipe or rod) are to be placed at all property line corners and angles, and at all points of curvature and points of tangency. The size of pins shall be 1/2" diameter by 30" long, and shall be driven into the ground at accurate locations, leaving 2" exposed. All newly installed pins shall include a surveyor's "cap" to help identify their location in the field.
- (C) Certificate of Monument Installation. The applicant's surveyor shall certify in writing that the bounds and pins have been installed according to the submitted plan, using the form entitled "Certification of Monument Installation." This form must be completed and submitted to the Board prior to receipt of final approval of the application. A copy of this form is contained in §6.00.

3.06 WATER SUPPLY. All subdivisions shall provide adequate water supply for consumption. Water supply for fire safety is addressed separately in §3.10(B).

- (A) Municipal Water Supply. The applicant shall comply with the Newmarket Water System Ordinance. In the absence of such a code, connection to the system shall be required if distribution lines are located 100' of any part of the original lot, and such connection shall conform with all requirements established by the Public Works Director.
- (B) Non-Municipal Water Supply. In areas outside of the municipal water supply service area, provisions shall be made for on-site water supply or connection to a community water supply system. The well location and its protective radius, if required by the State, shall be indicated on the plat. All community water supply systems and facilities shall be designed by a NH licensed Professional Engineer specializing in Civil Engineering. Unless owned by the Town, the Town shall not be responsible for a community water system.
- (C) All lots shall have sufficient water supply to provide for consumption.

3.07 SEWAGE DISPOSAL. All subdivisions shall provide for adequate and sanitary disposal of sewage.

- (A) Municipal Sewer Service Area. Compliance with the Newmarket Sewer Use Ordinance shall be required. In the absence of such a code, connection to the system shall be required if collection lines are located within 100' of any part of the original lot, and such connection shall conform with all requirements established by the Public

Works Director.

- (B) In areas outside of the municipal sewer service area, sufficient area shall be reserved for on-site sewage disposal. Unless otherwise specified by the State, a 4,000 square foot area suitable for the siting of a septic system shall be designated on each lot.

3.08 UTILITIES. Utilities shall generally be located within the road right-of-way, well behind any curb and never closer than the ditch line.

- (A) Where utility transmission lines are not located within the road right-of-way, perpetual unobstructed easements for future maintenance, repair and upgrade of the system shall be provided across all properties. Such easements shall be 15' or more in width, and shall have satisfactory access to the road.
- (B) Easements for proposed or future utility connections to adjacent properties may be required by the Board.
- (C) Street lights shall be required at every street intersection. Additional mid-block lighting may be required as appropriate.
- (D) In accordance with RSA 674:36(III), all utilities shall be installed underground. The installation of overhead wires and utility poles are prohibited. Where connections to existing overhead utilities are required, the utilities must be submerged as soon as practical within the developed site. (Amended 08/14/01)

3.09 LANDSCAPING. Landscaping requirements for subdivision approval are limited to establishment or re-establishment of suitable vegetative ground cover to ensure site stability, and to provision of street trees where needed.

- (A) Vegetative Ground Cover. No disturbed area shall be left permanently exposed and unprotected. Sufficient topsoil shall be provided and suitable grasses or other vegetation shall be established as quickly as possible to stabilize the site and prevent excessive erosion. Interim erosion control measures shall be provided as needed, but shall be removed when the ground cover is established and the site is stabilized.
- (B) Street Trees. Where an road is proposed through an open field, or where the existing vegetation will be removed or is of a character such that the road will get no shade in the summer, street trees shall be planted at regular intervals, not to exceed 100', along both sides of the right-of-way where appropriate. Such trees shall have a caliper of at least 3" at a point six inches above the top of the root ball, and shall be of a suitable hardwood species to ensure that the road is not shaded in the winter. Further, the Board may require removal of coniferous trees along the road where it finds that shade from such trees could cause icing problems.

3.10 EMERGENCY SERVICES. There shall be adequate provisions for emergency service access to all lots. There may be some trade-offs required when balancing the desire to maintain the scale of a neighborhood versus the desire to provide access sufficient for

emergency vehicle access.

- (A) All applicants shall provide a copy of the subdivision plan to the Police Department and Fire Department for their reviews and comments. While their input will weigh heavily, the Board reserves the final authority to make design decisions.
- (B) Water for Firefighting. At a minimum, there shall be a source of water for firefighting along a Class V or better road within 1 mile of each lot or building site proposed. Sources shall be limited to the following:
 - (1) a fire hydrant connected to the municipal water supply system;
 - (2) a fire hydrant connected to a community water system, which has sufficient storage volume and flow;
 - (3) a dry hydrant connected to an underground storage tank with a sufficient water supply and capacity;
 - (4) a dry hydrant in a fire pond or other standing water body with sufficient volume; or
 - (5) other as determined acceptable to the Fire Chief.

3.11 RECREATIONAL AMENITIES.

- (A) Neighborhood Parks. Recreation lands in close proximity to residences are an important amenity in neighborhoods. In general, small areas of land reserved for open space and passive recreation, or developed for other forms of active recreation shall be required for each Major Subdivisions which is not designed as an Open Space Development and which creates, or has the potential to create, 25 or more lots or residential units, as follows:
 - (1) At a minimum, one park shall be provided. For subdivisions, which have the potential for 50 or more residential lots or units, two parks shall be provided.
 - (2) The area of all park lots shall include at least two acres of contiguous developable land.
 - (3) Where possible, the design and intended use of the neighborhood parks should be consistent with the layout of roads, as is discussed in §3.02(A)(4).
 - (4) The applicant shall place a permanent deed restriction on each recreation lot, deeming it a non-buildable lot. Further, the deed restriction shall specify permitted types of recreation development are permitted. The deed restriction shall be shown on the plat, and shall be filed at the Rockingham County Registry of Deeds.

- (5) Ownership.
 - (a) The parks, if owned and maintained privately, may have restricted access. Further, provisions shall be made to ensure sufficient funding for ongoing maintenance of the park and its facilities, for payment of property taxes, and other such expenses.
 - (b) If such areas are offered to and are accepted by the Town, they shall be open to the general public, and there shall be sufficient nearby on-street parking.
- (6) If acceptable to the Board, public access to Great Bay or the Lamprey River may be substituted for all of the required parks.
- (B) Public Access. It is in the public interest to establish and maintain public accesses to Great Bay and the Lamprey River. Such access may include provisions for direct water access, or may be for other uses, which are enhanced by close proximity to the waters such as walking paths, picnic areas, and scenic overlooks. Where such amenities can be incorporated into the application, it would be appreciated by the Board and the Town. To qualify, public accesses must be permanently available to the general public.

3.12 MITIGATION OF IMPACTS. Where, in the opinion of the Board, the off-site impacts of a proposed development would adversely affect the public health, safety, convenience, prosperity or general welfare of the Town, the Board may require off-site improvements to mitigate the adverse impacts.

3.13 FLOODPLAIN MANAGEMENT (editorial note: amended April 13, 2010)

- (A) National Flood Insurance Requirements.
 - (1) The Planning Board shall review the proposed development to assure that all necessary permits from governmental agencies for which approval is required by Federal or State law, including Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334 have been received.
 - (2) The Planning Board shall require all proposals for development greater than 50 lots or 5 acres, whichever is lesser, include Base Flood Elevation (BFE) data within such proposals (i.e.: floodplain boundary and 100-year flood elevation). The elevation data shall be referenced to the National Geodetic Vertical Datum of 1929 so as to be consistent with the Town's FIRM maps.
 - (3) The Planning Board shall require the applicant to submit sufficient evidence (construction drawings, grading and land treatment plans) so as to allow a determination that:

- (a) all such proposals are consistent with the need to minimize flood damage;
 - (b) all public utilities and facilities, such as sewer, gas, electrical, and water systems are located and constructed to minimize or eliminate flood damage; and
 - (c) adequate drainage is provided so as to reduce exposure to flood hazards.
- (B) Floodplain Standards. All subdivisions and other proposed new development shall be designed to be reasonably safe from flooding. If any portion of the property subject to an approval under this Regulation is within the 100-year floodplain, the proposal shall:
 - (1) be designed consistent with the need to minimize flood damage;
 - (2) have all public utilities and facilities such as water, sewer and electrical systems located and constructed to minimize or eliminate flood damage; and
 - (3) provide drainage systems adequate to reduce exposure to flood hazards.

3.14 RESIDENTIAL OPEN SPACE DESIGN.

- (A) open space plan evaluation criteria.in evaluating the layout of house sites and open space, the following criteria will be considered by the Planning Board and Technical Review Committee as indicating design appropriate to the site's natural, historic, and cultural features, and meeting the purposes of this ordinance. Diversity and originality in layout shall be encouraged to achieve the best possible relationship between development and conservation areas. Accordingly, the Planning Board shall evaluate proposals to determine whether the proposed preliminary plan:
 - (1) Protects and preserves all floodplains, wetlands, and steep slopes from clearing, grading, filling, or construction (except as may be approved by the town as part of the application).
 - (2) Preserves and maintains mature woodlands, existing fields, pastures, meadows, and orchards, and creates sufficient buffer areas to minimize conflicts between residential and agricultural uses. For example, locating houseslots and driveways within wooded areas is generally recommended, with two exceptions.
 - (a) Where significant wildlife habitat or mature woodlands that raise an equal or greater preservation concern, as determined by the Board in accordance with intent of the ordinance.
 - (b) The second involves predominantly agricultural areas, where remnant tree groups provide the only natural areas for wildlife habitat.

- (3) If development must be located on open fields or pastures because of greater constraints in all other parts of the site, dwellings should be sited on the least prime agricultural soils, or in locations at the far edge of a field, as seen from existing public roads. Other considerations include whether the development will be visually buffered from existing public roads, such as by a planting screen consisting of a variety of indigenous native trees, shrubs, and wildflowers (specifications for which should be based upon a close examination of the distribution and frequency of those species found in a typical nearby roadside stone wall).
- (4) Maintains or creates an upland buffer of natural native species vegetation of a depth sufficient to protect and maintain the ecological stability of adjacent wetlands and surface waters, including creeks, streams, springs, lakes and ponds. The sufficiency of a buffer shall be set at 100 feet unless waived by the Planning Board. The waiver request shall be completed by a qualified environmental professional using the guidance and framework laid out in the document entitled "Buffers for Wetlands and Surface Waters: A Guidebook for New Hampshire Municipalities". Available from Newmarket Town Hall or online at: <http://www.nh.gov/oep/resourcelibrary/documents/buffershandbook.pdf>
- (5) Designs around existing stone walls between fields or meadows, and minimizes impacts on large woodlands (greater than five acres), especially those containing many mature trees or a significant wildlife habitat, or those not degraded by invasive vines. Also, woodlands of any size on highly erodible soils with slopes greater than 10% should be avoided. However, woodlands in poor condition with limited management potential can provide suitable locations for residential development. When any woodland is developed, great care shall be taken to design all disturbed areas (for buildings, roads, yards, septic disposal fields, etc.) in locations where there are no large trees or obvious wildlife areas, to the fullest extent that is practicable.
- (6) Leaves scenic views and vistas unblocked or uninterrupted, particularly as seen from public thoroughfares. For example, in open agrarian landscapes, a deep "no-build, no-plant" buffer is recommended along public roads where those views or vistas are prominent or locally significant. The concept of "foreground meadows," with homes facing the public thoroughfare across a broad grassy expanse works) is strongly preferred to mere buffer strips, with or without berms or vegetative screening. In wooded areas where the sense of enclosure is a feature that should be maintained, a deep "no-build, no-cut" buffer should be provided, to preserve existing vegetation.
- (7) Avoids the concentrated siting of new construction on prominent hilltops or ridges, by taking advantage of lower topographic features.
- (8) Protects wildlife habitat areas of species listed as endangered, threatened, or of special concern by State or Federal law.

- (9) Designs around and preserves sites of historic, archaeological, or cultural value, and their environs, insofar as needed to safeguard the character of the feature, including stone walls, spring houses, barn foundations, cellar holes, earthworks, and burial grounds.
- (10) Protects rural roadside character and improves public safety and vehicular carrying capacity by avoiding development fronting directly onto existing public roads. Establishes buffer zones along the scenic corridor of rural roads with historic buildings, stonewalls, and so on.
- (11) Landscapes common areas (such as community greens), cul-de-sac islands, and both sides of new streets with native species shade trees and flowering shrubs with high wildlife conservation value.
- (12) Includes a pedestrian circulation system designed to assure that pedestrians can walk safely and easily on the site, between properties and activities or special features within the neighborhood open space system. Roadside footpaths should connect with off-road trails, which in turn should link with potential open space on adjoining undeveloped parcels (or with existing open space on adjoining developed parcels, where applicable).
- (13) Fragmentation of open space should be minimized so that these resource areas are not divided into numerous small parcels located in various parts of the development. To the greatest extent practicable, this land shall be designed as a single block with logical, straightforward boundaries. Long thin strips of conservation land shall be avoided, unless the conservation feature is linear or unless such configuration is necessary to connect with other streams or trails. The open space shall generally abut existing or potential open space land on adjacent parcels (such as in other subdivisions, public parks, or properties owned by or eased to private land conservation organizations). Such subdivision open space shall be designed as part of larger contiguous and integrated greenway systems, as per the policies in the Open Space Protection and Management Plan and the Newmarket Master Plan.

(B) Open Space Use and Management

- (1) Natural features shall generally be maintained in their natural condition, but may be modified to improve their appearance, or restore their overall condition and natural processes, as recommended by natural resource professionals and in compliance with an approved land stewardship plan. Permitted modifications may include:
 - (a) Woodland management.
 - (b) Reforestation.
 - (c) Meadow management.
 - (d) Wetlands management.

- (e) Streambank restoration and protection.
 - (f) Buffer area landscaping.
- (2) To preserve scenic views, ridge tops and hilltops should be contained within common open space wherever possible. Trees shall not be removed from ridge tops or hilltops.
- (3) The boundaries of common open space shall be marked by natural features wherever possible, such as stonewalls, edges of woodlands, streams, or individual large trees. Where no such natural demarcations exist, additional plantings, fences, or other landscape features should be added to enable residents or the public, if applicable, to distinguish where common open space ends and private lot areas begin. Where structural demarcations, such as fences, are used, they shall be the minimum needed to accomplish this objective.
- (4) Trails in common open space that are located within 50 feet of homes in the development shall be identified by plantings, markers, fences, or other landscape features.
- (5) No portion of the minimum required open space shall be less than 50 feet in width unless the area *contains a trail, or a trail to be built*.
- (6) Safe and convenient pedestrian access and access for maintenance purposes shall be provided to common open space areas that are not used for agricultural purposes, in accordance with the following:
 - (a) At least one access point per 10 houses shall be provided, having a width equal to or greater than the minimum width of a lot within the development. This width may be reduced to no less than 50 feet if the applicant can demonstrate that, due to natural site constraints, meeting the width requirement would run counter to the objectives of this Section.
 - (b) Access to common open space used for agriculture may be restricted for public safety and to prevent interference with agricultural operations.
- (7) Maintenance and operation of common facilities.
 - (a) A plan and narrative for the use, maintenance, and insurance of all common facilities, including provisions for funding, shall be provided to and approved by the Planning Board prior to final approval. Such plan shall:
 - (1) Define ownership.
 - (2) Establish necessary regular and periodic operation and maintenance responsibilities.

- (3) Estimate staffing needs, insurance requirements, and other associated costs and define the means for funding the same on an on-going basis.
 - (4) Include a Land Stewardship Plan specifically focusing on the long-term management of open space lands.
- (b) In the event that the association established to own and maintain common areas and facilities, or any successor organization thereto, fails to properly maintain all or any portion of the aforesaid common areas or facilities, the Town may serve written notice upon such association setting forth the manner in which the association has failed to maintain the aforesaid common areas and facilities. Such notice shall set forth the nature of corrections required and the time within which the corrections shall be made. Upon failure to comply within the time specified, the association, or any successor organization, shall be considered in violation, in which case the Town shall have the right to enter the premises and take the needed corrective actions. The costs of corrective actions by the Town shall be assessed against the properties that have the right of enjoyment of the common areas and facilities. This authority shall be documented in the application and the documents establishing the association. The recitation shall include a description of the parcel, enforcement authority under RSA 674:21-a, and the Land Stewardship Plan.
- (8) The Land Stewardship Plan shall include a narrative, based on the site analysis required by the special use permit, describing:
 - (a) Existing conditions, including all natural, cultural, historic, and scenic elements in the landscape;
 - (b) Objectives for each common open space area, including:
 - (1) The proposed end state for the area and the measures proposed for achieving the end state.
 - (2) Proposed restoration measures, including:
 - (a) Measures for correcting increasingly destructive conditions, such as erosion.
 - (b) Measures for restoring historic features.
 - (c) A maintenance and operations plan identifying activities needed to maintain the stability of the resources, including mowing schedules, weed control measures, planting schedules, and clearing and cleanup measures and schedules.

(C) Design Standards For Building Sites

- (1) All lots in a cluster shall have access from interior streets.
- (2) All lots shall abut common open space to the front or rear. Common open space across a street shall qualify for this requirement.
- (3) In locating house sites, disturbance to woodlands, stonewalls, and individual mature trees shall be minimized. However, when the objective is to preserve prime farmland soils and large areas of contiguous land suitable for agricultural use, dwellings may be located within woodlands, provided that no more than 20 percent of a single wooded lot is cleared for the construction of a dwelling, driveway, garage, storage building, well, and private onsite waste treatment system.

(D) Design Guidelines For Roadways, Shared Accessways, Trails, And Other Facilities.

- (1) General Design. All roadways shall be designed in accordance with the Newmarket Subdivision Regulations.
- (2) Connectivity. It is the intent of this ordinance that most open space design developments do not include provisions for connectivity of roadways where the majority of house sites are located. If connectivity is desired by the Board for future development purposes and/or reasons of health and safety, the Board may require secondary roads to serve the house sites and encourage the use of separate connector roads to serve as the mode of interconnectivity.
- (3) Design Flexibility. The Board shall consider greater flexibility in specific adherence to design requirements related to curve and tangent requirements, pavement width, right-of-way width and clearing requirements. This flexibility shall be exercised in the pursuit of site design that minimizes impacts to the site and provides flexibility in siting dwellings.

(E) Procedures For Conservation Subdivisions

Process Overview. The sequence of actions prescribed in this article is as listed below. These steps shall be followed sequentially and may be combined only at the discretion of the Planning Commission:

1. Pre-application discussion - technical review.
2. Environmental resource and yield plan submittal
3. Yield equation and yield plan review and recommendation.
4. Submission hearing, preliminary plan, and yield equation/plan approval.
5. Sitewalk.
6. Application Review.
7. Decision.

- (1) Pre-Application Discussion. A pre-application discussion is strongly encouraged between the applicant, the site designer(s), and members of the Planning Board. The purpose of this informal meeting is to introduce the applicant and the site designer(s) to the regulations and procedures and to discuss the applicant's objectives in relation to the town requirements. The town may designate a consultant experienced in development design and in the protection of natural features and greenway lands to meet with the applicant and to attend meetings as authorized under these regulations and RSA 676:4.
- (2) Environmental Resource and Yield Plan submittal. At the Pre-application discussion the applicant shall submit the yield equation and environmental resource yield plan for technical review. The submissions shall not be required to meet engineering specifications or surveying standards for purposes of the yield plan, however, the environmental characteristics of the site shall be determined and delineated in accordance with applicable professional standards.
 - (a) Environmental Resource and Yield Plan. The application shall include a sketch plan showing the delineation of environmental resources on the site and the maximum number of dwelling units that would be reasonably achievable under the zoning ordinance and subdivision regulations for a conventional design, consistent with the minimum lot size, lot widths, set backs, and all other applicable provisions, purposes, and objectives of the zoning ordinance and subdivision regulations in place at the time of the submission and compare it to the number of dwelling units proposed. This plan is intended to utilize required design information for the open space application and overlay a sketched conventional subdivision. At a minimum, the following information shall be provided:
 - i. Property boundaries;
 - ii. Streams, rivers, lakes, wetlands, as defined in this ordinance and associated zoning buffers;
 - iii. Topographic contours at 2-foot intervals;
 - iv. General vegetation characteristics;
 - v. General soil types showing with reasonable certainty, the ability to provide on-site septic facilities if not on public sewer service;
 - vi. A sketch of lot lines and setbacks showing reasonable building envelopes;
 - vii. A sketch of potential rights-of-ways for roads and utilities in compliance with the subdivision regulations;
 - viii. Archaeological sites, cemeteries and burial grounds
 - ix. Land on the parcel that has been set aside from development as part of a conservation easement, development agreement, or other similar legal restriction;
 - x. Existing roads and structures;
 - xii. Existing abutting conservation land and trails.
 - xiii. Waivers that would be required for approval and statement of

justification for the waiver under the relevant provision of the applicable subdivision regulation.

- xiv. Wetland impacts that would be required for conventional design.
- (b) Development Yield Equation. The maximum number of lots is determined by dividing the area of the tract of land by the minimum lot size specified in the underlying zoning district. In making this calculation, the following shall apply to the Developable Land Base as required by Section 6.03(E):
 - i. A 10% reduction in the developable land base to account for public facilities (roads, drainage, and utility easements);
 - ii. A complete removal of all land on the parcel that has been set aside from development as part of a conservation easement, development agreement, or other similar legal restriction;
 - iii. Isolated pockets of upland that are reachable only through a wetland fill that requires an impact to Prime Wetlands, over 6000 square feet of impact to very poorly drained soils, over 12,000 square feet in impact to poorly drained soils or an aggregate of over 1 (one) acre in impact to wetlands of any types in the entire project.
 - (c) Delineation of Open Space & the Developable Land Base. The calculation of the Developable Land Base, as required by Section 6.03 and reviewed under 6.06(C)(3) of the Newmarket Zoning Ordinance sets the baseline for the open space calculations. This calculation is meant to be a numerical calculation that relates to an actual physical description of the area of the parcel to be protected as open space. The area of the parcel that is to be set aside must meet the minimum requirements of the developable land base calculations. As a practical matter, the open space will likely be larger given the inclusion of wetlands in the final parcel. The calculation insures that adequate uplands and “developable” land is set aside to further the multiple purposes of the open space design ordinance.
- (3) Yield equation and yield plan review and recommendation. The Planning Department shall use the environmental resource and yield plan and yield equation submission to make a recommendation on the validity of the yield plan and a preliminary recommendation on the delineation of the restricted open space in accordance with these regulations and the Open Space Design Ordinance. The Planning Department shall forward a recommendation on for Planning Board review at the submission hearing.
 - (4) Submission hearing, preliminary plan, yield equation/plan approval. “Preliminary Plan” refers to a preliminarily engineered sketch plan drawn to illustrate initial thoughts about a conceptual layout for open space lands, house sites, and street alignments. This is the stage where drawings are *tentatively* illustrated, before

heavy engineering costs are incurred in the design of any proposed subdivision layout.

- (5) **Sitewalk.** The Planning Board may schedule a mutually convenient date to walk the property with the applicant and site designer. The purpose of this visit is to familiarize town officials with the property's special features, and to provide an informal opportunity to offer guidance (or at least a response) to the applicant regarding the tentative location of the conservation land and potential house locations and street alignments
- (6) **Application Review. Four-Step Process.** Each sketch plan or Conceptual Preliminary Plan shall follow a four-step design process, as described below. When the conceptual Preliminary Plan is submitted, applicants shall be prepared to demonstrate to the Planning Board that these four design steps were followed by their site designers in determining the layout of their proposed streets, houselots, and greenway lands. This process shall be accomplished during the first 30 days of the statutory review period for applications before the board.
 - (a) *Designating the Open Space.* During the first step, all potential conservation areas are identified and shall consist of wetlands, floodplains, slopes over 25%, and shall include identification of the most sensitive and noteworthy natural, scenic, and cultural resources on that remaining half of the property. The applicant shall locate the restricted open space using the location criteria contained in the Open Space Design Ordinance.
 - (b) *Location of House Sites.* During the second step, potential house sites are tentatively located. Because the proposed location of houses within each lot represents a significant decision with potential impacts on the ability of the development to meet the evaluation criteria contained above, subdivision applicants shall identify tentative house sites on the preliminary plan.
 - (c) *Street and Lot Layout.* The third step consists of aligning proposed streets to provide vehicular access to each house in the most reasonable and economical way. When lots and access streets are laid out, they shall be located in a way that avoids or at least minimizes adverse impacts on the Conservation Areas. To the greatest extent practicable, wetland crossings and streets traversing existing slopes over 15% shall be strongly discouraged. Street connections shall generally be encouraged to minimize the number of new cul-de-sacs to be maintained by the town and to facilitate easy access to and from homes in different parts of the property. Where cul-de-sacs are necessary, those serving six or fewer homes may be designed with "hammer-heads" facilitating three-point turns. Cul-de-sacs serving more than six homes shall generally be designed with a central island containing indigenous trees and shrubs (either conserved on site or planted).

In situations where more formal, "neo-traditional," or village-type layouts are proposed, Steps Two and Three may be reversed, so that the location of house sites follows the location of streets and squares.

- (d) *Lot Lines.* The fourth step is simply to draw in the lot lines (where applicable). These are generally drawn midway between house locations and may include L-shaped "flag-lots".
- (7) *Decisions.* For each preliminary step the decision shall be in the form of a vote. Decisions that are made on limited submission of information, as contemplated by this development approach, shall not be binding if further information is discovered during the process that results in modifications to the result. The conditional and final approval shall be issued in accordance with RSA 676:3 and 676:4.

SECTION 4.00: PLAT STANDARDS.

- 4.01 SIZE.** Full size plat sheets shall measure 22" tall by 34" wide or smaller sizes as acceptable by the Rockingham County Registry of Deeds, and reduced size plats shall measure 11" tall by 17" wide, or 8 1/2" tall by 11" wide.
- 4.02 MATERIAL AND NUMBER OF COPIES.** The applicant shall provide three or more paper copies of each full size plat sheet and one paper copy of each reduced size plat sheet. Copies of plat sheets to be recorded shall be printed on mylar, or other material as specified by the Rockingham County Registry of Deeds.
- 4.03 BASIC INFORMATION.** All plat sheets shall contain the following:
- (A) Title Block. The title block shall indicate the:
 - (1) title of the sheet;
 - (2) owner's name;
 - (3) applicant's name, if other than owner;
 - (4) tax map and parcel number; and
 - (5) name and address of the person or company which prepared the sheet.
 - (B) Scale. The scale of the plan shall be given in text and graphic form.
 - (C) North Arrow.
 - (D) Dates. Each sheet shall indicate the date of original preparation, and the date and nature of each revision.
- 4.04 BOUNDARY SURVEY PLANS.** The plat sheet(s), which provides the required boundary or other survey information, shall be stamped and signed by a N.H. Licensed Land Surveyor. The surveyor shall certify on the plans that, "All plans meet the current standards as set forth by the N.H. Joint Board of Licensure and the N.H. Land Surveyors Association."
- 4.05 ENGINEERING PLANS.** The plat sheet(s), which provides any required engineering information shall be stamped and signed by a N.H., licensed Professional Engineer. This shall include all road designs, drainage plans, community or municipal water system plans, and municipal sewer system plans.
- 4.06 APPROVAL SHEET(S).** In addition to those items required per §4.03 and §4.04, the plat sheet(s) on which the Planning Board will indicate approval shall have:
- (A) a 2" tall by 4" wide empty space reserved for the Board's written endorsement, which shall be indicated by a municipal approval stamp and signature of the Chairman of the Board;
 - (B) a note indicating the title and most recent date of revision for all supplemental plat sheets;

- (C) a locus map showing the location of the property within the municipality; and
- (D) Notes providing the following information:
 - (1) indication of all existing or proposed easements of record, covenants and deed restrictions.
 - (2) indicate the zoning district, including applicable overlay districts, if such districts exist.
 - (3) area of each lot.
 - (4) length of road frontage for each lot.
 - (5) list of waivers and substitutions granted by the Board.
 - (6) any other development restrictions, limitation or requirements.

4.07 MULTIPLE SHEETS. Where the size of the property and the scale of the plat require multiple sheets, match lines shall be provided.

4.08 SCALE. A scale of 1" equals 100' is the recommended scale, although other scales which provide a greater level of detail and accuracy may be used.

4.09 AREA OF COVERAGE. Plans submitted for approval under this Regulation shall depict the entire area and boundary of each lot, except as follows:

- (A) Boundary Line Adjustment. Each lot of 5 acres or less in area shall be shown in its entirety. For lots larger than 5 acres, the plan shall depict a portion of the lot, at least 5 acres in size, which includes the area from the boundary line adjustment to the nearest road frontage. Additionally, the entire road frontage of both lots shall be included for any proposed changes, which would alter the amount of frontage on a lot.

4.10 SITE INFORMATION. The set of plans submitted shall provide the following information about the site:

- (A) Boundary survey of the existing property boundaries, indicating:
 - (1) distances, deflection angles, radii, arc lengths, control angles, monument locations, and other necessary survey data;
 - (2) the names of all abutters, including map and parcel numbers;
 - (3) roads, right-of-ways, intersections and driveways within 50' of the lot;
 - (4) location and nature of easements of record, deed restrictions and covenants;

- and
- (5) references to deeds, earlier surveys, and other pertinent information as determined by the LLS.
- (B) Existing conditions on the property, showing:
 - (1) elevation contours:
 - (a) for Boundary Line Adjustments, this shall not be required.
 - (b) for Minor Subdivisions and Major Subdivisions, contours at 2' intervals shall be required, except that lots, which will remain 10 acres or more, shall require 5' contour intervals.
 - (2) delineation of hydric soils on the entire lot shall be required. This work shall be conducted by a NH Licensed Soil Scientist. Additionally, soil types and boundaries per the Rockingham County Soil Survey shall be indicated. Poorly and very poorly drained soils shall be clearly labeled as such. In locations where the boundary of such soils is important in evaluating the proposed design of the subdivision, the Board may require the applicant to provide a high intensity soil survey, conducted by a NH Licensed Soil Scientist.
 - (3) existing buildings, wells, septic systems, water lines, sewer lines, drainage facilities, utilities and other such improvements, in plan view, with description of uses and sizes, if applicable.
 - (4) approximate location of buildings, wells and septic systems, in plan view, within 100' of the site.
 - (5) surface waters, stalls, and other significant natural and man-made resources.
- (C) Municipal and zoning district boundaries, including base and overlay districts.
- (D) Setback lines.
- (E) Elevation of 100-year floodplain, or the extent of the 100-year floodplain as otherwise defined by FEMA.
- (F) Proposed conditions on the property, showing:
 - (1) boundary survey of the existing and proposed property boundaries, showing all information provided for §4.10(A), plus distances, deflection angles, radii, arc lengths, control angles, monument locations, and other necessary survey data for proposed property boundaries.

- (2) proposed contours at 2' intervals in areas where changes are proposed.
 - (3) buildings in plan view for subdivision plans being concurrently reviewed for Site Plan Review approval.
 - (4) proposed use(s), if other than single family residential.
 - (5) plans for transportation, providing all information required to assess compliance with §3.02 (Roads) and §3.04 (Pedestrian, Bicycle and Transit Amenities). For road plans, cross sections at 100' stations and a centerline profile shall be provided.
 - (6) plans for drainage, providing all information required to assess compliance with §3.03 (Drainage).
 - (7) plans for water supply, sewage disposal, utilities, and firefighting water supply, providing all information required to assess compliance with §3.06 (Water Supply), §3.07 (Sewage Disposal), §3.08 (Utilities), and §3.10(B) (Water for Firefighting).
 - (8) plans for landscaping, providing all information required to assess compliance with §3.09 (Landscaping).
 - (9) plans for recreational amenities, providing all information required to assess compliance with §3.11 (Recreational Amenities).
 - (10) each lot shall be numbered according to the Town's tax map numbering system.
 - (11) location of a test pit and percolation test on each lot, with results provided in an accompanying report.
- (G) For subdivisions with new roads, a design sketch of the streetscape of the development when fully built out, to help permit the Board and abutters to visualize the development.

SECTION 5.00: ADMINISTRATION.

5.01 WAIVERS OR SUBSTITUTIONS. The Board may waive a portion of this Regulation, or permit substitution of an alternative standard for one in this Regulation only as specified in this Section.

(A) **Waivers.** The Board may grant a waiver of any Design Standard (§3.00) or Plat Standard (§4.00) of this Regulation in accordance with the following:

- (1) The applicant shall provide a written request for waiver. The request shall specify the section for which the waiver is requested, the extent of the waiver, and the justification. Where multiple waivers are being requested, a separate request shall be provided for each.
- (2) In evaluating the request, the Board shall not grant the waiver unless it finds that:
 - (a) granting of the waiver shall not be detrimental to the public health, safety or general welfare;
 - (b) granting of the waiver shall not, in the opinion of the Board, be injurious to other parties;
 - (c) granting of the waiver shall not have the effect of nullifying the intent and purpose of this Regulation; and
- (3) The Board may condition any waiver granted so as to secure the objectives of this Regulation.

(B) **Substitutions.** In the event that an alternative Design Standard (§3.00) is provided, the Board may permit substitution for the Town design standard. Such substitution shall be permitted at the Board's option only when, in the Board's opinion, the alternative standard is independently and scientifically derived, is generally accepted by the planning community, and would better accomplish the intent of this chapter for this case. The request for a substitution shall be made in writing, and a complete copy of the alternative design standard shall be provided to the Town for its records (i.e.: provide a copy of applicable books, articles, etc). Substitution shall require a formal motion of the Board, and the minutes of the meeting should indicate the Board's reasoning for future reference. No waiver is required for design standard substitutions.

5.02 TECHNICAL ASSISTANCE. In the event that the Board requires technical assistance and/or special studies to adequately and properly evaluate an application or perform subsequent inspections, it may secure such professional assistance. This may include planning reviews, engineering review, legal reviews, special studies, and other such assistance. The applicant shall reimburse the Town for the cost of such assistance, but the individual or company engaged shall work for, and report directly to the Town.

- 5.03 RECORDING APPROVED PLANS.** Upon stamping and signing an approved final plan, the Town shall deliver the mylar plan to the Rockingham County Registry of Deeds to ensure that there is no tampering with the plans prior to recording, and to ensure that there is no delay in recording the plan such that the delay would extend the protection period under RSA 674:39. A signed paper Copy of the plan shall be retained by the Town for its records, and additional paper copies of the plan may be signed for the applicant, surveyor, and others.
- 5.04 FINANCIAL SECURITIES.** The applicant shall be required to provide financial securities for site improvements in accordance with the following:
- (A) Use. Suitable financial securities shall be provided to ensure that the applicant will complete all site work in accordance with the plans. The securities, if called by the Town, may be used to stabilize the site, ensure site safety, minimize any adverse impacts on the neighborhood and Town, complete the work, and prepare the as-built plans. In the event that the security is called by the Town, the Board may schedule and hold a public hearing to consider revocation of the Subdivision Approval per the process of RSA 676:4-a. The Board may request that all municipal permits be suspended until the matter is resolved.
 - (B) Amount. The amount shall be 100% of the cost of all site work, excluding site work covered by other financial securities held by other governmental entities (such as for State driveway permits). The specific dollar amount shall be negotiated with the Town Administrator.
 - (C) Form of Security. The form of financial security, and all associated agreements or stipulations shall be negotiated with the Town Administrator. At a minimum, the Town shall accept cash, a joint passbook account, and an irrevocable letter of credit. The Town shall have full access to these securities in the case that the Town must utilize them to secure the purposes of this section.
 - (D) Other Requirements. If requested by the applicant, there shall be a provision for reducing the amount of the security as work is completed, but the Town shall retain sufficient security at all times to ensure that it can fulfill all remaining purposes. The Town retains the right to apply cost escalation factors to protect against inflation. The Town retains the right to specify time deadlines for the completion of any or all improvements.
- 5.05 APPROVAL REQUIRED.** Prior to land clearing, site preparation, construction or any other such activity may begin on a site, and before any municipal permit for such activity may be issued, approval under this Regulation is required. All activity on the site shall be in accordance with the approval.
- 5.06 AS-BUILT PLANS.**
- (A) The Board requires that the applicant prepare and submit to the Public Works Director a set of as-built plans for all roads, underground drainage systems, and underground utilities. All such as-built plans shall meet the current standards as set forth by the

N.H. Joint Board of Licensure and the N.H. Land Surveyors Association.

- (B) The only as-built subdivision plan, which the Board will approve from the effective date of this Regulation forward, is a plan showing the location of structures on condominium property. Such plans shall:
- (1) Be certified to be correct, and stamped and signed by a N.H. Licensed Land Surveyor;
 - (2) Be accompanied by Certificates of Occupancy, if applicable;
 - (3) Clearly identify in the title block exactly what the as-built plan is approving (especially where the plan depicts only some of multiple units as being completed); and
 - (4) Have the following plat note printed on each sheet, "These as-built plans are pursuant to, and without modification of the original Planning Board approval, and meet the current standards set forth by the N.H. Joint Board of Licensure and the N.H. Land Surveyors Association."

5.07 ENFORCEMENT. The Code Enforcement Officer, or other duly appointed designee of the Town Council, shall be responsible for enforcement.

5.08 INSPECTIONS. The Town shall hire, at the applicant's expense, a qualified consultant to perform inspections during the construction of roads, drainage facilities, water systems, sewer systems, and other improvements as appropriate. Inspection shall be sequenced to ensure that work is properly completed throughout the project in accordance with the approved plans.

- (A) For road construction, there shall be inspections following grubbing & clearing, following preparation and compaction of the subgrade, during placement of base course materials, prior to binder coarse paving, prior to wear coat paving, and upon completion of all work. Cut or fill slopes shall also be subject to inspection and approval.
- (B) All underground utilities shall be inspected and approved prior to burial.
- (C) Water and sewer inspections shall be required as specified by the Public Works Director at the time of approval.
- (D) The developer shall be responsible for notifying the inspection consultant at each of the construction phases, and may request additional inspections at any time during construction. Failure to provide adequate notification will result in a delay of the approvals and release of the financial security. If any part of the work is found to be inadequate, the Town may order the deficient work to be reconstructed prior to its acceptance. All requests shall be made at least three working days prior to the desired inspection.

- (E) The inspector shall be responsible for maintaining a record of each inspection. At a minimum, the records shall contain the date of inspection, improvement or portion inspected (identified by station or other reasonable means), conditions found, and actions taken (approval or disapproval). Reasons for disapproval shall be supplied to the developer, in writing, within 48 hours of the inspection.

5.09 COMPLIANCE WITH OTHER CODES. The Subdivision Regulations in no way relieve an applicant from compliance with the Zoning Ordinance, the Site Plan Review Regulations, or any other code or requirement adopted by the Town or any other governmental unit. In the event that the requirements of this Regulation are in conflict with the other codes, the more stringent shall apply. This is also required by RSA 676:14.

5.10 SAVING CLAUSE. If any clause, portion or section of this Regulation is found invalid by a court of competent jurisdiction, this finding shall not invalidate the remainder of this Regulation.

SECTION 6.00: APPLICATION FORMS

These separate documents are available online at www.newmarketnh.gov and the Newmarket Planning Office.

Stormwater Management Checklist

Please use the following checklist as a guide to assess whether the various stormwater management components as required by Subdivision Regulations have been completed and are included in the Subdivision plan and application materials. Please check each box as it applies consistent with the regulations. If certain items could not be completed or are not included in the subdivision design, please provide separate written explanations as to why these items could not be completed or be included in the subdivision design process due to site conditions.

Project Contact Information				
Project Name				
Project Street Address				
Applicant's Name			Phone No.	Email
Engineer's Name			Phone No.	Email
Property Owner (if different			Phone No.	Email
Architect			Phone No.	Email
SUBDIVISION APPLICATION		Project Name		
Date of Submittal ____/____/____		Applicant's Name		
Engineer	_____	Architect		_____
Total Area of Disturbance		Square Feet		_____
Stormwater Management and Erosion Report Contents				
<input type="checkbox"/>	Existing Conditions Plans		<i>Section 3.03 (C) (1)</i>	
<input type="checkbox"/>	Title Block, Scale, Legend, Datum, Locus Plan, Professional Stamp(s)			
<input type="checkbox"/>	Topographic Contours and Benchmarks			
<input type="checkbox"/>	Pre-development Watershed Boundaries, Drainage Patterns, Channelized Flow Areas			
<input type="checkbox"/>	Conveyance Structures, Location where runoff exits the site			
<input type="checkbox"/>	Buffer and Setback limits as required by Town Ordinances and State Regulations			
<input type="checkbox"/>	Buildings, Structures, Wells, Septic Systems, Utilities			
<input type="checkbox"/>	Water Bodies, Wetlands, Hydrologic Features, Soils Codes			
<input type="checkbox"/>	Existing Vegetation and Mature Trees			
<input type="checkbox"/>	Proposed Conditions Plans		<i>Section 3.03 (C) (2)</i>	
<input type="checkbox"/>	Title Block, Scale, Legend, Datum, Locus Plan, Professional Stamp(s)			
<input type="checkbox"/>	Topographic Contours and Benchmarks			
<input type="checkbox"/>	Post-development Watershed boundaries, Drainage Patterns, Channelized Flow Areas			
<input type="checkbox"/>	Buildings, Structures, Wells, Septic Systems, Utilities			
<input type="checkbox"/>	Proposed Areas of Disturbance			
<input type="checkbox"/>	Proposed Impervious Areas			
<input type="checkbox"/>	Temporary stock pile areas			
<input type="checkbox"/>	Construction refueling areas			
<input type="checkbox"/>	Temporary and Permanent Stormwater Treatment BMP Locations and Details shown			
<input type="checkbox"/>	Erosion Control Measures Locations and Details shown			

<input type="checkbox"/>	Stormwater Outlet Locations																																												
<input type="checkbox"/>	Drainage and Access Maintenance Easements																																												
<input type="checkbox"/>	Name of Receiving Waters																																												
<input type="checkbox"/>	Connection to Municipal Stormwater Drainage Facilities																																												
<input type="checkbox"/>	Drainage Analysis Completed <i>Section 3.03 C (3)</i>																																												
	<table border="1"> <thead> <tr> <th>24-Hour Storm Event</th> <th>Runoff</th> <th>Pre-development</th> <th>Post-development</th> </tr> </thead> <tbody> <tr> <td>2-Year</td> <td>Rate</td> <td>_____ (CFS)</td> <td>_____ (CFS)</td> </tr> <tr> <td>2-Year</td> <td>Volume</td> <td>_____ (CF)</td> <td>_____ (CF)</td> </tr> <tr> <td>10-Year</td> <td>Rate</td> <td>_____ (CFS)</td> <td>_____ (CFS)</td> </tr> <tr> <td>10-Year</td> <td>Volume</td> <td>_____ (CF)</td> <td>_____ (CF)</td> </tr> <tr> <td>25-Year</td> <td>Rate</td> <td>_____ (CFS)</td> <td>_____ (CFS)</td> </tr> <tr> <td>25-Year</td> <td>Volume</td> <td>_____ (CF)</td> <td>_____ (CF)</td> </tr> <tr> <td>50-Year</td> <td>Rate</td> <td>_____ (CFS)</td> <td>_____ (CFS)</td> </tr> <tr> <td>50-Year</td> <td>Volume</td> <td>_____ (CF)</td> <td>_____ (CF)</td> </tr> <tr> <td>100-Year</td> <td>Rate</td> <td>_____ (CFS)</td> <td>_____ (CFS)</td> </tr> <tr> <td>100-Year</td> <td>Volume</td> <td>_____ (CF)</td> <td>_____ (CF)</td> </tr> </tbody> </table>	24-Hour Storm Event	Runoff	Pre-development	Post-development	2-Year	Rate	_____ (CFS)	_____ (CFS)	2-Year	Volume	_____ (CF)	_____ (CF)	10-Year	Rate	_____ (CFS)	_____ (CFS)	10-Year	Volume	_____ (CF)	_____ (CF)	25-Year	Rate	_____ (CFS)	_____ (CFS)	25-Year	Volume	_____ (CF)	_____ (CF)	50-Year	Rate	_____ (CFS)	_____ (CFS)	50-Year	Volume	_____ (CF)	_____ (CF)	100-Year	Rate	_____ (CFS)	_____ (CFS)	100-Year	Volume	_____ (CF)	_____ (CF)
24-Hour Storm Event	Runoff	Pre-development	Post-development																																										
2-Year	Rate	_____ (CFS)	_____ (CFS)																																										
2-Year	Volume	_____ (CF)	_____ (CF)																																										
10-Year	Rate	_____ (CFS)	_____ (CFS)																																										
10-Year	Volume	_____ (CF)	_____ (CF)																																										
25-Year	Rate	_____ (CFS)	_____ (CFS)																																										
25-Year	Volume	_____ (CF)	_____ (CF)																																										
50-Year	Rate	_____ (CFS)	_____ (CFS)																																										
50-Year	Volume	_____ (CF)	_____ (CF)																																										
100-Year	Rate	_____ (CFS)	_____ (CFS)																																										
100-Year	Volume	_____ (CF)	_____ (CF)																																										
Stormwater BMP Design and Low Impact Development (LID) Measures																																													
<input type="checkbox"/> Have LID measures been included in Design? <input type="checkbox"/> Yes, List Below <input type="checkbox"/> No, Explain separately																																													
<input type="checkbox"/> Have the stormwater BMP, LID, and erosion control measures been designed and sized in accordance with the NH DES Stormwater Manual Design Guidance as required by <i>Section 3.03 (C) 6</i> of the Newmarket Subdivision Regulations.																																													
<input type="checkbox"/>	Percentage of Impervious Area Treated _____ % Type of BMP Treatment _____																																												
<input type="checkbox"/>	Landscaping plans and details of planting areas and planting species that are native, non-invasive and appropriate for site conditions. <i>Section 3.03 (C) (7)</i>																																												
<input type="checkbox"/>	Covenants and deed restrictions for filing with the Register of Deeds. <i>Section 3.03 (C) (9)</i>																																												
<input type="checkbox"/>	Other Permits or Plans Required by US EPA or NH DES (as applicable) <i>Section 3.03 (C) (10)</i>																																												
<input type="checkbox"/>	US EPA Notice of Intent																																												
<input type="checkbox"/>	NH DES Alteration of Terrain Permit																																												
<input type="checkbox"/>	Other (Please list)																																												
<input type="checkbox"/>	Operations and Maintenance Plan <i>Section 3.03 (C) (8)</i>																																												
<input type="checkbox"/>	Need for 3rd Party Review Yes _____ No _____																																												
<input type="checkbox"/>	Other																																												

Newmarket Subdivision Regulations

Major Subdivision

Application Completeness Checklist

(PB Application Checklists.xls)

Application Form:

- correctly completed
- signed by owner(s)

Provided?			Waiver Req.
YES	NO	N.A.	
<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>		

Abutters List:

- includes all abutters
- includes owner(s)
- includes authorized representative
- includes towns/regions for regional notice if required
- includes a matching set of adhesive mailing labels
- signed and dated by preparer
- dated within 5 days of submittal of application

<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	

Fees:

- amount for administration: \$_____
- amount for public notice: \$_____
- total amount paid: \$_____
- correct amount paid

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

Conceptual Plans

- one 1:12,000 conceptual road plan on mylar
- three @ 1":100' with conceptual road and lot layout

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

Existing Conditions Plans

- three paper copies
- correct size: 22" X 34"
- title block:
 - title of sheet
 - name of owner
 - name of applicant (if other than owner)
 - tax map & parcel

<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	

--	--

--	--

--	--

--	--	--

Provided?			Waiver
YES	NO	N.A.	Req.

--	--

--	--

--	--	--	--

--	--	--	--

--	--

--	--	--

2011
Page 56

elevation contour of the 100 year floodplain

--	--	--

Other Documentation:

letter to Police Chief

letter to Fire Chief

letter to Public Works Director

Newmarket Subdivision Regulations

Minor Subdivision

Application Completeness Checklist

(PB Application Checklists.xls)

Application Form:

- correctly completed
- signed by owner(s)

Provided?			Waiver Req.
YES	NO	N.A.	
<input type="checkbox"/>	<input type="checkbox"/>		
<input type="checkbox"/>	<input type="checkbox"/>		

Abutters List:

- includes all abutters
- includes owner(s)
- includes authorized representative
- includes towns/regions for regional notice if required
- includes a matching set of adhesive mailing labels
- signed and dated by preparer
- dated within 5 days of submittal of application

<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	

Fees:

- amount for administration: \$_____
- amount for public notice: \$_____
- total amount paid: \$_____
- correct amount paid

<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------

Plans:

- three paper copies submitted
- correct size: 22" X 34"
- title block:
 - title of sheet
 - name of owner
 - name of applicant (if other than owner)
 - tax map & parcel
 - name and address of preparer
- scale:
 - given in graphic and text form
 - correct: 1"=100'

<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

--	--

--	--

--	--

--	--	--

--	--	--

Provided?

YES NO N.A.

--	--	--	--

--	--	--

--	--	--

--	--	--	--

--	--	--

--	--	--	--

--	--	--

septic systems
 utilities
 approximate location within 100' of the lot:
 buildings
 wells
 septic systems
 surface waters, stone walls, significant features
 municipal and/or precinct boundaries
 zoning district boundaries
 setback lines
 elevation contour of the 100 year floodplain
 changing contours at 2' intervals
 proposed use if other than single family residential
 documentation to ensure adequate:
 water supply and sewage disposal
 utilities
 firefighting water supply
 new parcel numbers consistent with Town system
 perc. test and test pit results for each lot

Other Documentation:

letter to Police Chief
 letter to Fire Chief
 letter to Public Works Director
 application for State permits:

 subdivision
 driveway
 wetlands
 site specific
 other: _____

Newmarket Subdivision Regulations

Boundary Line Adjustment

Application Completeness Checklist

(PB Application Checklists.xls)

Application Form:

- correctly completed
- signed by owner(s)

Provided?			Waiver Req.
YES	NO	N.A.	

Abutters List:

- includes all abutters
- includes owner(s)
- includes authorized representative
- includes towns/regions for regional notice if required
- includes a matching set of adhesive mailing labels
- signed and dated by preparer
- dated within 5 days of submittal of application

Fees:

- amount for administration: \$_____
- amount for public notice: \$_____
- total amount paid: \$_____
- correct amount paid

--	--

Plans:

- three paper copies submitted
- correct size: 22" X 34"
- title block:
 - title of sheet
 - name of owner
 - name of applicant (if other than owner)
 - tax map & parcel
 - name and address of preparer
- scale:
 - given in graphic and text form
 - correct: 1"=100'

--	--

Provided?

YES NO N.A.

011

Page 62

utilities
 surface waters, stone walls, significant features
 municipal and/or precinct boundaries
 zoning district boundaries
 setback lines
 100 year floodplain
